

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LINCOLN

County Base Map

(Records are Sorted by Township, Range, and Section)

LOG ID:
003814

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1936/08/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	538FT
		0	0	LG1642		
<u>DRILL DEPTH:</u>	415FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				694,134.05	4,330,728.31
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	Driller's Log Included			
<u>S.W.L. (AFTER CASING):</u>	105					

LOG ID:
020729

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	486FT
		0	0	LG1647		
<u>DRILL DEPTH:</u>	362FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				676,315.35	4,318,264.94
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	1 MI N OF TROY ON HWY 61 ("CAN'T LOCATE")			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
026482

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1968/08/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	430FT
		0	0	LG1651		
<u>DRILL DEPTH:</u>	125FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				699,459.05	4,317,082.13
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	SAMPLES SCANNED ONLY, NO SAMPLES LOGGED - TOPS ONLY			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
017017

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1958/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	818FT
		0	0	LG1674		
<u>DRILL DEPTH:</u>	405FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				682,920.75	4,332,954.22
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	275					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**009872**WELL TYPE

Private Well

DRILL DATE: 1946/10/01TOWNSHIPRANGESECTIONELEVATION:

717FT

DRILL DEPTH: 211FT

0

0

LG1682

DEPTH TO BED: 5FTUTM XUTM Y

680,132.65

4,330,812.16

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 9 MI SW OF ELSBERRYS.W.L. (AFTER CASING): 115**LOG ID:****008660**WELL TYPE

Private Well

DRILL DATE: 1944/00/00TOWNSHIPRANGESECTIONELEVATION:

801FT

DRILL DEPTH: 2,491FT

0

0

LG1686

DEPTH TO BED: 205FTUTM XUTM Y

672,332.64

4,341,469.24

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: #4; DEEPENED 1953 (#12327 (#8660 IS COMPLETE LOG)S.W.L. (AFTER CASING): 205**LOG ID:****012327**WELL TYPE

Oil Well

DRILL DATE: 1944/00/00TOWNSHIPRANGESECTIONELEVATION:

801FT

DRILL DEPTH: 2,491FT

0

0

LG1686

DEPTH TO BED: 205FTUTM XUTM Y

672,281.64

4,341,465.24

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: #4; OLD WELL (#8660) DEEPENED 1953; SEE #8660 FOR COMPLETE LOGS.W.L. (AFTER CASING): 205**LOG ID:****002884**WELL TYPE

Private Well

DRILL DATE: 1934/07/00TOWNSHIPRANGESECTIONELEVATION:

513FT

DRILL DEPTH: 335FT

0

0

LG1706

DEPTH TO BED: 70FTUTM XUTM Y

690,790.99

4,338,266.36

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: W EDGE OF ELSBERRY - ONLY A FEW SAMPLES LOGGED
DRILLER'S LOG ONLYS.W.L. (AFTER CASING): 45



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**003610**WELL TYPE

Community Public Well

DRILL DATE: 1936/05/21TOWNSHIPRANGESECTIONELEVATION:

452FT

DRILL DEPTH: 476FT

0

0

LG1706

DEPTH TO BED: 75FTUTM XUTM Y

691,640.01

4,337,602.36

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: N SIDE OF GLOVE FACTORYS.W.L. (AFTER CASING): 5**LOG ID:****003879**WELL TYPE

Private Well

DRILL DATE: 1936/00/00TOWNSHIPRANGESECTIONELEVATION:

488FT

DRILL DEPTH: 97FT

0

0

LG1706

DEPTH TO BED: 90FTUTM XUTM Y

690,541.98

4,338,348.36

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 0.26 MI NW OF ELSBERRY - ONE SAMPLE LOGGEDS.W.L. (AFTER CASING):**LOG ID:****008397**WELL TYPE

Private Well

DRILL DATE: 1943/10/20TOWNSHIPRANGESECTIONELEVATION:

445FT

DRILL DEPTH: 425FT

0

0

LG1706

DEPTH TO BED: 95FTUTM XUTM Y

691,539.00

4,337,153.36

ZONE 15

S.W.L. (BEFORE CASING): 19 FTREMARKS: EDGE OF ELSBERRYS.W.L. (AFTER CASING): 4 FT**LOG ID:****009559**WELL TYPE

Community Public Well

DRILL DATE: 1947/06/01TOWNSHIPRANGESECTIONELEVATION:

519FT

DRILL DEPTH: 470FT

0

0

LG1706

DEPTH TO BED: 20FTUTM XUTM Y

690,774.99

4,338,126.36

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: BASE OF WATER TOWERS.W.L. (AFTER CASING): 60



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**010339**WELL TYPE

Outcrop Description

DRILL DATE: 1948/08/01 TOWNSHIP 0 RANGE 0 SECTION LG1706 ELEVATION: 440FT
DRILL DEPTH: 129FT UTM X 691,174.01 UTM Y 4,341,904.41
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: STOP R
S.W.L. (AFTER CASING):

LOG ID:**013155**WELL TYPE

Private Well

DRILL DATE: 1953/12/01 TOWNSHIP 0 RANGE 0 SECTION LG1706 ELEVATION: 692FT
DRILL DEPTH: 575FT UTM X 688,406.94 UTM Y 4,339,054.35
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 3 MI NW OF ELSBERRY; formerly in name of Dr. Claud Hill
S.W.L. (AFTER CASING): 230

LOG ID:**027683**WELL TYPE

Community Public Well

DRILL DATE: TOWNSHIP 0 RANGE 0 SECTION LG1706 ELEVATION: 451FT
DRILL DEPTH: 73FT UTM X 691,862.01 UTM Y 4,337,188.36
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: ALL ALLUVIUM - NO PRODUCTION OR CONSTRUCTION DATA
S.W.L. (AFTER CASING):

LOG ID:**028030**WELL TYPE

Community Public Well

DRILL DATE: TOWNSHIP 0 RANGE 0 SECTION LG1706 ELEVATION: 453FT
DRILL DEPTH: 420FT UTM X 691,810.01 UTM Y 4,337,295.36
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION OR CONSTRUCTION DATA
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006076**WELL TYPE

Private Well

DRILL DATE: 1940/00/00TOWNSHIPRANGESECTIONELEVATION:

756FT

DRILL DEPTH: 208FT

0

0

LG1710

DEPTH TO BED: 65FTUTM XUTM Y

669,525.55

4,339,690.16

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 65**LOG ID:****007815**WELL TYPE

Private Well

DRILL DATE: 1942/03/15TOWNSHIPRANGESECTIONELEVATION:

670FT

DRILL DEPTH: 416FT

0

0

LG1710

DEPTH TO BED: 30FTUTM XUTM Y

666,608.41

4,334,948.03

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 100**LOG ID:****024938**WELL TYPE

Private Well

DRILL DATE: 1966/09/15TOWNSHIPRANGESECTIONELEVATION:

806FT

DRILL DEPTH: 375FT

0

0

LG1710

DEPTH TO BED: 65FTUTM XUTM Y

671,325.57

4,338,978.18

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NEAR WHITESIDES.W.L. (AFTER CASING):**LOG ID:****003828**WELL TYPE

Private Well

DRILL DATE: 1936/09/10TOWNSHIPRANGESECTIONELEVATION:

534FT

DRILL DEPTH: 335FT

0

0

LG1724

DEPTH TO BED: 20FTUTM XUTM Y

692,246.00

4,332,789.32

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 3 MI S OF ELSBERRY
Driller's Log IncludedS.W.L. (AFTER CASING): 50



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004645**WELL TYPE

Private Well

DRILL DATE: 1937/00/00TOWNSHIPRANGESECTIONELEVATION:

509FT

DRILL DEPTH: 333FT

0

0

LG1724

DEPTH TO BED: 35FTUTM XUTM Y

691,926.00

4,333,678.32

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

3 MI S OF ELSBERRY

S.W.L. (AFTER CASING):

33

LOG ID:**006437**WELL TYPE

Private Well

DRILL DATE: 1940/09/20TOWNSHIPRANGESECTIONELEVATION:

626FT

DRILL DEPTH: 447FT

0

0

LG1724

DEPTH TO BED:UTM XUTM Y

691,184.98

4,333,508.31

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

#2 MEADOW BROOK

S.W.L. (AFTER CASING):

150

LOG ID:**012061**WELL TYPE

Private Well

DRILL DATE: 1952/05/01TOWNSHIPRANGESECTIONELEVATION:

502FT

DRILL DEPTH: 330FT

0

0

LG1724

DEPTH TO BED: 50FTUTM XUTM Y

692,214.00

4,333,945.33

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

2 MI S OF ELSBERRY

S.W.L. (AFTER CASING):

50

LOG ID:**020728**WELL TYPE

Private Well

DRILL DATE: 1962/10/01TOWNSHIPRANGESECTIONELEVATION:

508FT

DRILL DEPTH: 275FT

0

0

LG1724

DEPTH TO BED: 20FTUTM XUTM Y

692,545.01

4,332,464.32

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

3 MI S OF ELSBERRY ON HWY 79

S.W.L. (AFTER CASING):

20



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**023017**WELL TYPE

Private Well

DRILL DATE: 1964/08/21TOWNSHIPRANGESECTIONELEVATION:

511FT

DRILL DEPTH: 320FT

0

0

LG1724

DEPTH TO BED: 5FTUTM XUTM Y

692,294.00

4,333,488.32

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 3 MI S OF ELSBERRY ON HWY 79S.W.L. (AFTER CASING): 60**LOG ID:****010337**WELL TYPE

Outcrop Description

DRILL DATE: 1948/09/01TOWNSHIPRANGESECTIONELEVATION:

558FT

DRILL DEPTH: 54FT

0

0

LG1737

DEPTH TO BED:UTM XUTM Y

689,279.98

4,342,846.40

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: STOP Q; NOTE BOOK 937S.W.L. (AFTER CASING):**LOG ID:****008981**WELL TYPE

Private Well

DRILL DATE: 1945/10/12TOWNSHIPRANGESECTIONELEVATION:

545FT

DRILL DEPTH: 550FT

0

0

LG1745

DEPTH TO BED: 30FTUTM XUTM Y

669,575.36

4,329,161.99

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 2.5 MI S OF SILEX; FAINT SULPHUR SMELL; FLOWEDS.W.L. (AFTER CASING):**LOG ID:****007186**WELL TYPE

Private Well

DRILL DATE: 1941/07/01TOWNSHIPRANGESECTIONELEVATION:

565FT

DRILL DEPTH: 180FT

0

0

LG1751

DEPTH TO BED: 10FTUTM XUTM Y

665,865.12

4,320,309.75

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 40



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**003395**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1935/07/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	482FT
<u>DRILL DEPTH:</u>	472FT	0	0	LG1760	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				691,639.00	4,336,455.35
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	2000' S OF S LIMITS OF ELSBERRY, 654' E OF BLUFF RD			
<u>S.W.L. (AFTER CASING):</u>	6					

LOG ID:**010018**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1947/06/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	832FT
<u>DRILL DEPTH:</u>	307FT	0	0	LG1767	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				674,493.62	4,337,963.21
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	1 MI S OF McGRUDERS STATION, 0.25 MI OFF HWY 61, NEAR			
<u>S.W.L. (AFTER CASING):</u>	204		WHITESIDE			

LOG ID:**024689**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1966/07/16	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	829FT
<u>DRILL DEPTH:</u>	365FT	0	0	LG1767	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				674,631.63	4,338,074.21
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**026400**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1967/11/27	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	800FT
<u>DRILL DEPTH:</u>	405FT	0	0	LG1767	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				676,043.59	4,333,775.16
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	SCANNED, TOPS ONLY			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006886**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1941/00/00TOWNSHIPRANGESECTIONELEVATION:

511FT

DRILL DEPTH: 425FT

0

0

LG1788

DEPTH TO BED: 25FTUTM XUTM Y

692,543.89

4,312,153.10

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: @ OLD MONROES.W.L. (AFTER CASING): 80**LOG ID:****009382**WELL TYPE

Private Well

DRILL DATE: 1946/00/00TOWNSHIPRANGESECTIONELEVATION:

702FT

DRILL DEPTH: 505FT

0

0

LG1789

DEPTH TO BED: 10FTUTM XUTM Y

694,814.04

4,322,136.23

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1.5 MI SW OF FOLEYS.W.L. (AFTER CASING): 204**LOG ID:****019204**WELL TYPE

Private Well

DRILL DATE: 1960/08/01TOWNSHIPRANGESECTIONELEVATION:

705FT

DRILL DEPTH: 518FT

0

0

LG1789

DEPTH TO BED: 60FTUTM XUTM Y

694,259.03

4,322,187.22

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of Nancy Sedgwick - NEAR FOLEYS.W.L. (AFTER CASING): 200**LOG ID:****007050**WELL TYPE

Private Well

DRILL DATE: 1941/04/17TOWNSHIPRANGESECTIONELEVATION:

560FT

DRILL DEPTH: 289FT

0

0

LG1791

DEPTH TO BED: 35FTUTM XUTM Y

680,591.48

4,313,008.96

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: ON BLUFF IN MOSCOW MILLSS.W.L. (AFTER CASING): 110



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019837**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1961/06/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	525FT
<u>DRILL DEPTH:</u>	850FT	0	0	LG1791	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				680,497.47	4,313,247.96
<u>S.W.L. (BEFORE CASING):</u>	70				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		FT			<u>REMARKS:</u>	

LOG ID:**027222**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1970/01/15	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	536FT
<u>DRILL DEPTH:</u>	545FT	0	0	LG1805	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				675,731.32	4,318,290.94
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>					<u>REMARKS:</u> NEAR TROY	

LOG ID:**013150**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1954/03/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	771FT
<u>DRILL DEPTH:</u>	358FT	0	0	LG1810	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				677,833.69	4,337,284.23
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	190				<u>REMARKS:</u> 4 MI E OF WHITESIDE	

LOG ID:**023468**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	818FT
<u>DRILL DEPTH:</u>	482FT	0	0	LG1810	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				676,976.69	4,338,605.24
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>					<u>REMARKS:</u>	

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
024929

WELL TYPE
Private Well

DRILL DATE: 1966/09/23

TOWNSHIP RANGE SECTION

ELEVATION: 446FT

DRILL DEPTH: 51FT

0 0 LG1816

DEPTH TO BED:

UTM X UTM Y
695,713.02 4,316,621.17
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
011268

WELL TYPE
Private Well

DRILL DATE: 1947/11/01

TOWNSHIP RANGE SECTION

ELEVATION: 580FT

DRILL DEPTH: 225FT

0 0 LG2530

DEPTH TO BED: 65FT

UTM X UTM Y
680,291.44 4,307,849.91
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: formerly in name of Lloyd E. Jonas - 6.5 MI S OF JCT HWYS 47 & 61
@ TROY

S.W.L. (AFTER CASING): 90

LOG ID:
005992

WELL TYPE
Private Well

DRILL DATE: 1940/04/05

TOWNSHIP RANGE SECTION

ELEVATION: 454FT

DRILL DEPTH: 175FT

0 0 LG3035

DEPTH TO BED: 10FT

UTM X UTM Y
690,422.79 4,309,604.05
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: NEAR CHAIN OF ROCKS

S.W.L. (AFTER CASING): 35

LOG ID:
008206

WELL TYPE
Private Well

DRILL DATE: 1943/03/25

TOWNSHIP RANGE SECTION

ELEVATION: 463FT

DRILL DEPTH: 150FT

0 0 LG3035

DEPTH TO BED: 20FT

UTM X UTM Y
688,385.70 4,306,892.00
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 3 MI W OF CHAIN OF ROCKS

S.W.L. (AFTER CASING): 20



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008662**WELL TYPE

Private Well

DRILL DATE: 1944/08/22TOWNSHIPRANGESECTIONELEVATION:

522FT

DRILL DEPTH: 360FT

0

0

LG3035

DEPTH TO BED: 10FTUTM XUTM Y

688,654.74

4,310,678.04

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 98**LOG ID:****009367**WELL TYPE

Private Well

DRILL DATE: 1946/03/12TOWNSHIPRANGESECTIONELEVATION:

490FT

DRILL DEPTH: 450FT

0

0

LG3035

DEPTH TO BED: 239FTUTM XUTM Y

688,585.71

4,307,683.01

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL DEEPENED 239-450'; 2 MI S OF CHAIN OF ROCKS.
NEAR OLD MONROES.W.L. (AFTER CASING): 35**LOG ID:****010609**WELL TYPE

Private Well

DRILL DATE: 1948/07/01TOWNSHIPRANGESECTIONELEVATION:

467FT

DRILL DEPTH: 140FT

0

0

LG3035

DEPTH TO BED: 15FTUTM XUTM Y

690,073.78

4,309,588.05

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 25**LOG ID:****010610**WELL TYPE

Private Well

DRILL DATE: 1948/07/01TOWNSHIPRANGESECTIONELEVATION:

459FT

DRILL DEPTH: 175FT

0

0

LG3035

DEPTH TO BED: 30FTUTM XUTM Y

690,660.80

4,309,736.06

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: CHAIN OF ROCKS, MO.S.W.L. (AFTER CASING): 35



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**010998**WELL TYPE

Private Well

DRILL DATE: 1947/05/01TOWNSHIPRANGESECTIONELEVATION:

506FT

DRILL DEPTH: 285FT

0

0

LG3035

DEPTH TO BED: 35FTUTM XUTM Y

691,888.86

4,311,667.09

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:formerly in name of Herman Mennemeyer - 1.5 MI W OF OLD
MONROE, NEAR CATHOLIC CHURCHS.W.L. (AFTER CASING): 70**LOG ID:****012158**WELL TYPE

Private Well

DRILL DATE: 1952/00/00TOWNSHIPRANGESECTIONELEVATION:

520FT

DRILL DEPTH: 343FT

0

0

LG3035

DEPTH TO BED: 25FTUTM XUTM Y

689,625.79

4,312,782.07

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

1 MI SE (?) OF ETHYLN

S.W.L. (AFTER CASING): 80**LOG ID:****016691**WELL TYPE

Private Well

DRILL DATE: 1957/00/00TOWNSHIPRANGESECTIONELEVATION:

470FT

DRILL DEPTH: 300FT

0

0

LG3035

DEPTH TO BED: 30FTUTM XUTM Y

690,504.80

4,309,768.05

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 40**LOG ID:****021587**WELL TYPE

Private Well

DRILL DATE: 1963/00/00TOWNSHIPRANGESECTIONELEVATION:

531FT

DRILL DEPTH: 505FT

0

0

LG3035

DEPTH TO BED: 20FTUTM XUTM Y

689,483.77

4,310,932.05

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027197**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

522FT

DRILL DEPTH:

900FT

0

0

LG3035

DEPTH TO BED:

14FT

UTM XUTM Y

692,317.88

4,312,136.10

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

NO PRODUCTION DATA

S.W.L. (AFTER CASING):**LOG ID:****024932**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1966/09/17

TOWNSHIPRANGESECTIONELEVATION:

508FT

DRILL DEPTH:

205FT

0

0

LG305

DEPTH TO BED:

65FT

UTM XUTM Y

675,835.32

4,316,945.93

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****025839**WELL TYPE

Private Well

DRILL DATE:

1967/04/10

TOWNSHIPRANGESECTIONELEVATION:

462FT

DRILL DEPTH:

174FT

0

0

LG3269

DEPTH TO BED:

55FT

UTM XUTM Y

692,077.96

4,325,235.23

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

3 MI SW OF FOLEY

S.W.L. (AFTER CASING):

50

LOG ID:**003619**WELL TYPE

Community Public Well

DRILL DATE:

1936/06/02

TOWNSHIPRANGESECTIONELEVATION:

590FT

DRILL DEPTH:

764FT

0

0

LG375

DEPTH TO BED:

15FT

UTM XUTM Y

674,527.27

4,316,162.90

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

TROY WATER CO, CARLOS P. TIFFANY, OWNER

S.W.L. (AFTER CASING):

70

Driller's Log Included



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**010787**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

589FT

DRILL DEPTH:

750FT

0

0

LG375

DEPTH TO BED:

15FT

UTM XUTM Y

674,033.25

4,316,413.90

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

60 GPM @ 274', 70 GPM @ 302', 80 GPM @ 330', 86 GPM @ 347'

S.W.L. (AFTER CASING):

110

LOG ID:**012722**WELL TYPE

Community Public Well

DRILL DATE:

1954/06/01

TOWNSHIPRANGESECTIONELEVATION:

611FT

DRILL DEPTH:

1,502FT

0

0

LG375

DEPTH TO BED:

50FT

UTM XUTM Y

673,857.25

4,315,910.89

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

OLD WELL DEEPENED - SEE #21157 FOR COMPLETE LOG

S.W.L. (AFTER CASING):

217

LOG ID:**013929**WELL TYPE

Community Public Well

DRILL DATE:

1955/10/01

TOWNSHIPRANGESECTIONELEVATION:

642FT

DRILL DEPTH:

1,470FT

0

0

LG375

DEPTH TO BED:

45FT

UTM XUTM Y

673,659.24

4,316,137.89

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

OLD WELL DEEPENED 835-1470'; COMPLETE LOG ON #14368

S.W.L. (AFTER CASING):

160

LOG ID:**014368**WELL TYPE

Community Public Well

DRILL DATE:

1955/10/01

TOWNSHIPRANGESECTIONELEVATION:

642FT

DRILL DEPTH:

1,470FT

0

0

LG375

DEPTH TO BED:

45FT

UTM XUTM Y

673,600.24

4,316,189.89

ZONE 15

S.W.L. (BEFORE CASING):

82

FT

REMARKS:OLD WELL (#13929) DEEPENED- COMPLETE LOG ON #14368
(838-1470')S.W.L. (AFTER CASING):

160

FT



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**021157**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1954/06/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	611FT
<u>DRILL DEPTH:</u>	1,502FT	0	0	LG375	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				673,983.25	4,315,938.90
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	OLD WELL (#12722) DEEPENED 750-1502'; THIS IS COMPLETE LOG			
<u>S.W.L. (AFTER CASING):</u>	148					

LOG ID:**007817**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1942/05/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	520FT
<u>DRILL DEPTH:</u>	152FT	0	0	LG379	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				675,225.30	4,316,469.92
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	CLEM NASSAR, OWNER - YIELD - 900 G/HOUR			
<u>S.W.L. (AFTER CASING):</u>	20					

LOG ID:**009108**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1946/04/12	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	533FT
<u>DRILL DEPTH:</u>	813FT	0	0	LG379	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				675,113.29	4,316,329.91
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	20	FT	<u>REMARKS:</u>	OBSERVATION WELL 4/15/86		
<u>S.W.L. (AFTER CASING):</u>	30	FT				

LOG ID:**025430**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1967/07/22	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	455FT
<u>DRILL DEPTH:</u>	85FT	0	0	LG385	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				695,561.02	4,316,396.17
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	NEAR WINFIELD			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006010**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1940/05/01TOWNSHIP

0

RANGE

0

SECTION

LG389

ELEVATION:

543FT

DRILL DEPTH: 329FTDEPTH TO BED: 120FTUTM X

680,028.45

UTM Y

4,312,166.94

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: WELL #1, ON HWY 61S.W.L. (AFTER CASING):**LOG ID:****024687**WELL TYPE

Private Well

DRILL DATE: 1966/06/23TOWNSHIP

0

RANGE

0

SECTION

LG389

ELEVATION:

572FT

DRILL DEPTH: 325FTDEPTH TO BED: 140FTUTM X

679,875.45

UTM Y

4,313,029.95

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****026499**WELL TYPE

Community Public Well

DRILL DATE: 1969/12/22TOWNSHIP

0

RANGE

0

SECTION

LG389

ELEVATION:

520FT

DRILL DEPTH: 710FTDEPTH TO BED: 15FTUTM X

680,047.46

UTM Y

4,312,847.95

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: @ MOSCOW MILLSS.W.L. (AFTER CASING):**LOG ID:****024949**WELL TYPE

Private Well

DRILL DATE: 1966/07/28TOWNSHIP

0

RANGE

0

SECTION

LG452

ELEVATION:

573FT

DRILL DEPTH: 250FTDEPTH TO BED: 150FTUTM X

675,707.31

UTM Y

4,315,214.91

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: OLD WELL TO 150' - NEAR TROYS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026944**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1971/07/29TOWNSHIPRANGESECTIONELEVATION:

432FT

DRILL DEPTH: 68FT

0

0

LG524

DEPTH TO BED:UTM XUTM Y

695,433.98

4,312,694.13

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: FACTORY IN OLD MONROE, 0.25 MI N OF TOWNS.W.L. (AFTER CASING): 19**LOG ID:****006621**WELL TYPE

Private Well

DRILL DATE: 1941/01/01TOWNSHIPRANGESECTIONELEVATION:

554FT

DRILL DEPTH: 775FT

0

0

LG60

DEPTH TO BED: 25FTUTM XUTM Y

694,296.96

4,313,832.14

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: OLD WELL DEEPENED 354-775'S.W.L. (AFTER CASING): 70**LOG ID:****010611**WELL TYPE

Private Well

DRILL DATE: 1949/11/01TOWNSHIPRANGESECTIONELEVATION:

556FT

DRILL DEPTH: 325FT

0

0

LG60

DEPTH TO BED: 20FTUTM XUTM Y

693,423.93

4,313,734.13

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 3 MI NW OF OLD MONROES.W.L. (AFTER CASING): 125**LOG ID:****024842**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1967/03/08TOWNSHIPRANGESECTIONELEVATION:

548FT

DRILL DEPTH: 113FT

0

0

LG60

DEPTH TO BED: 16FTUTM XUTM Y

694,653.98

4,313,908.15

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 1 MI N OF OLD MONROE, 0.5 MI W OF HWY 79S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006895**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1941/00/00TOWNSHIPRANGESECTIONELEVATION:

470FT

DRILL DEPTH: 270FT

0

0

LG742

DEPTH TO BED: 10FTUTM XUTM Y

695,472.04

4,318,606.19

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 50**LOG ID:****010612**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1948/04/01TOWNSHIPRANGESECTIONELEVATION:

513FT

DRILL DEPTH: 331FT

0

0

LG742

DEPTH TO BED: 10FTUTM XUTM Y

695,077.04

4,319,155.19

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: NW PART OF WINFIELDS.W.L. (AFTER CASING): 70**LOG ID:****010031**WELL TYPE

Private Well

DRILL DATE: 1947/10/01TOWNSHIPRANGESECTIONELEVATION:

462FT

DRILL DEPTH: 206FT

0

0

LG747

DEPTH TO BED: 30FTUTM XUTM Y

695,087.05

4,323,551.24

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 1 MI SW OF FOLEY - FLOWS 1 GPMS.W.L. (AFTER CASING):**LOG ID:****005952**WELL TYPE

Private Well

DRILL DATE: 1940/03/01TOWNSHIPRANGESECTIONELEVATION:

530FT

DRILL DEPTH: 227FT

0

0

LG823

DEPTH TO BED: 10FTUTM XUTM Y

692,677.99

4,325,672.24

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 60

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
016669

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1957/09/09	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	471FT
<u>DRILL DEPTH:</u>	100FT	0	0	LG823	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	8FT				692,529.98	4,324,745.23
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	7.5	<u>REMARKS:</u>				

LOG ID:
008658

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1944/07/13	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	600FT
<u>DRILL DEPTH:</u>	250FT	48N	1W	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				675,681.30	4,313,298.90
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	2 MI S OF TROY			
<u>S.W.L. (AFTER CASING):</u>	34					

LOG ID:
008803

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1943/11/08	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	612FT
<u>DRILL DEPTH:</u>	200FT	48N	1W	10	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				673,510.22	4,311,656.85
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	5 MI S OF TROY			
<u>S.W.L. (AFTER CASING):</u>	60					

LOG ID:
025400

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1967/01/23	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	469FT
<u>DRILL DEPTH:</u>	360FT	48N	1E	10	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	125FT				682,694.54	4,311,773.97
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	POOR SAMPLES			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**022291**WELL TYPE

Private Well

DRILL DATE: 1963/08/27TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 600FT

48N

1E

12

DEPTH TO BED: 25FTUTM XUTM Y

686,552.68

4,311,949.02

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: YIELD - 17 GPM @ 180'S.W.L. (AFTER CASING): 160**LOG ID:****024936**WELL TYPE

Private Well

DRILL DATE: 1966/07/22TOWNSHIPRANGESECTIONELEVATION:

590FT

DRILL DEPTH: 125FT

48N

1W

13

DEPTH TO BED: 80FTUTM XUTM Y

675,884.30

4,309,555.87

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: formerly in name of Cecil Bryant - NEAR HAWK POINTS.W.L. (AFTER CASING):**LOG ID:****028904**WELL TYPE

Community Public Well

DRILL DATE: 2002/07/TOWNSHIPRANGESECTIONELEVATION:

621FT

DRILL DEPTH: 1,515FT

48N

1W

13

DEPTH TO BED:UTM XUTM Y

676,376.32

4,310,141.88

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 170**LOG ID:****025252**WELL TYPE

Private Well

DRILL DATE: 1966/11/17TOWNSHIPRANGESECTIONELEVATION:

658FT

DRILL DEPTH: 500FT

48N

1W

14

DEPTH TO BED: 85FTUTM XUTM Y

674,091.24

4,309,950.85

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of Tony StanckS.W.L. (AFTER CASING): 95



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
021022

WELL TYPE
Private Well

DRILL DATE: 1962/03/15

TOWNSHIP RANGE SECTION

ELEVATION: 651FT

DRILL DEPTH: 320FT

48N 1W 15

DEPTH TO BED: 35FT

UTM X UTM Y
672,324.19 4,310,944.82
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 4 MI S OF TROY JUST W OF HWY J

S.W.L. (AFTER CASING): 85

LOG ID:
007490

WELL TYPE
Private Well

DRILL DATE: 1941/09/24

TOWNSHIP RANGE SECTION

ELEVATION: 530FT

DRILL DEPTH: 250FT

48N 1E 16

DEPTH TO BED: 95FT

UTM X UTM Y
680,668.46 4,310,032.93
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 0.5 MI E OF CHURCH ON HWY 61 ON S SD GRAVEL RD

S.W.L. (AFTER CASING): 70

LOG ID:
023688

WELL TYPE
Private Well

DRILL DATE: 1965/06/01

TOWNSHIP RANGE SECTION

ELEVATION: 510FT

DRILL DEPTH: 105FT

48N 1E 16

DEPTH TO BED: 45FT

UTM X UTM Y
681,778.50 4,310,814.95
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 2 MI E OF MOSCOW MILLS

S.W.L. (AFTER CASING):

LOG ID:
027221

WELL TYPE
Private Well

DRILL DATE:

TOWNSHIP RANGE SECTION

ELEVATION: 587FT

DRILL DEPTH: 485FT

48N 1W 16

DEPTH TO BED: 65FT

UTM X UTM Y
671,382.17 4,310,249.79
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: NEAR WRIGHT CITY

S.W.L. (AFTER CASING): 70



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
026418

WELL TYPE
Private Well

DRILL DATE: 1967/10/30 TOWNSHIP 48N RANGE 1W SECTION 17 ELEVATION: 626FT
DRILL DEPTH: 285FT UTM X 670,102.14 UTM Y 4,309,846.76
DEPTH TO BED: 55FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: NEAR TROY
S.W.L. (AFTER CASING): 60

LOG ID:
028947

WELL TYPE
Community Public Well

DRILL DATE: 2003/08/ TOWNSHIP 48N RANGE 1E SECTION 19 ELEVATION: 600FT
DRILL DEPTH: 990FT UTM X 677,190.34 UTM Y 4,309,112.88
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
017147

WELL TYPE
Private Well

DRILL DATE: 1957/12/12 TOWNSHIP 48N RANGE 1W SECTION 2 ELEVATION: 619FT
DRILL DEPTH: 302FT UTM X 675,074.28 UTM Y 4,313,314.89
DEPTH TO BED: 65FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1 MI S ON MAIN ST OUT OF TROY, THEN 0.5 MI W
S.W.L. (AFTER CASING): 90

LOG ID:
020441

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 48N RANGE 1E SECTION 2 ELEVATION: 503FT
DRILL DEPTH: 200FT UTM X 684,241.61 UTM Y 4,314,170.01
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: MOSCOW MILLS; NO PRODUCTION OR CONSTRUCTION DATA
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**017588**WELL TYPE

Private Well

DRILL DATE: 1958/09/12TOWNSHIP RANGE SECTION

48N

1E

20

ELEVATION: 583FTDRILL DEPTH: 518FTUTM X UTM YDEPTH TO BED: 45FT680,180.44 4,308,370.91
ZONE 15S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****026477**WELL TYPE

Private Well

DRILL DATE: 1968/08/20TOWNSHIP RANGE SECTION

48N

1E

20

ELEVATION: 590FTDRILL DEPTH: 505FTUTM X UTM YDEPTH TO BED: 40FT680,176.44 4,308,771.92
ZONE 15S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****024691**WELL TYPE

Private Well

DRILL DATE: 1966/06/27TOWNSHIP RANGE SECTION

48N

1E

21

ELEVATION: 583FTDRILL DEPTH: 515FTUTM X UTM YDEPTH TO BED: 240FT681,095.47 4,308,167.92
ZONE 15S.W.L. (BEFORE CASING):REMARKS: OLD WELL DEEPENED 245-515'S.W.L. (AFTER CASING):**LOG ID:****028892**WELL TYPE

Community Public Well

DRILL DATE: 2003/07/TOWNSHIP RANGE SECTION

48N

1E

21

ELEVATION: 600FTDRILL DEPTH: 1,470FTUTM X UTM YDEPTH TO BED:681,699.49 4,308,218.93
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 175

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
007795

WELL TYPE
Private Well

DRILL DATE: 1942/01/20

TOWNSHIP RANGE SECTION

ELEVATION: 579FT

DRILL DEPTH: 362FT

48N 1W 23

DEPTH TO BED: 45FT

UTM X UTM Y
674,753.25 4,307,785.84
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 60

LOG ID:
025635

WELL TYPE
Private Well

DRILL DATE: 1967/03/17

TOWNSHIP RANGE SECTION

ELEVATION: 518FT

DRILL DEPTH: 405FT

48N 1W 25

DEPTH TO BED: 35FT

UTM X UTM Y
676,373.30 4,307,155.85
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: WENTSVILLE, 6 MI ON STRINGTOWN RD

S.W.L. (AFTER CASING): 20

LOG ID:
025411

WELL TYPE
Industrial High Capacity Well

DRILL DATE: 1967/00/00

TOWNSHIP RANGE SECTION

ELEVATION: 580FT

DRILL DEPTH: 540FT

48N 1W 28

DEPTH TO BED: 25FT

UTM X UTM Y
671,899.17 4,306,671.78
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 5 MI N OF WRIGHT CITY ON HWY J

S.W.L. (AFTER CASING):

LOG ID:
008655

WELL TYPE
Private Well

DRILL DATE: 1942/05/22

TOWNSHIP RANGE SECTION

ELEVATION: 626FT

DRILL DEPTH: 175FT

48N 1W 3

DEPTH TO BED: 75FT

UTM X UTM Y
673,623.23 4,312,980.87
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: BRYANT FARM

S.W.L. (AFTER CASING): 60



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025671**WELL TYPE

Private Well

DRILL DATE: 1967/01/25TOWNSHIP RANGE SECTION

48N

1W

3

ELEVATION: 605FTDRILL DEPTH: 105FTUTM X UTM YDEPTH TO BED: 70FT673,815.24 4,312,661.87
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: YIELD - 30 GPM @ 80'S.W.L. (AFTER CASING): 50**LOG ID:****006467**WELL TYPE

Private Well

DRILL DATE: 1940/00/00TOWNSHIP RANGE SECTION

48N

1W

31

ELEVATION: 725FTDRILL DEPTH: 169FTUTM X UTM YDEPTH TO BED: 15FT667,945.07 4,305,084.67
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 5.5 MI NW OF WRIGHT CITYS.W.L. (AFTER CASING):**LOG ID:****021967**WELL TYPE

Private Well

DRILL DATE: 1963/06/14TOWNSHIP RANGE SECTION

48N

1W

31

ELEVATION: 686FTDRILL DEPTH: 280FTUTM X UTM YDEPTH TO BED: 65FT667,993.07 4,305,310.68
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 5.2 MI S OF TROY ON HWY J, 2.3 MI W ON HWY V; 1.5 OR 10 GPMS.W.L. (AFTER CASING):**LOG ID:****024069**WELL TYPE

Private Well

DRILL DATE: 1965/10/16TOWNSHIP RANGE SECTION

48N

1W

34

ELEVATION: 696FTDRILL DEPTH: 210FTUTM X UTM YDEPTH TO BED: 95FT672,488.18 4,304,815.78
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 80

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
024656

WELL TYPE
Private Well

DRILL DATE: 1966/07/15

TOWNSHIP RANGE SECTION

ELEVATION: 677FT

DRILL DEPTH: 220FT

48N 1W 34

DEPTH TO BED: 75FT

UTM X UTM Y
672,424.18 4,304,631.77
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
025200

WELL TYPE
Private Well

DRILL DATE: 1967/03/08

TOWNSHIP RANGE SECTION

ELEVATION: 598FT

DRILL DEPTH: 165FT

48N 1W 36

DEPTH TO BED: 150FT

UTM X UTM Y
675,936.28 4,305,442.83
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: HARD WATER

S.W.L. (AFTER CASING): 90

LOG ID:
008988

WELL TYPE
Private Well

DRILL DATE: 1945/07/10

TOWNSHIP RANGE SECTION

ELEVATION: 539FT

DRILL DEPTH: 185FT

48N 1E 5

DEPTH TO BED: 120FT

UTM X UTM Y
680,031.45 4,312,650.95
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: IN MOSCOW MILLS

S.W.L. (AFTER CASING): 102

LOG ID:
026227

WELL TYPE
Private Well

DRILL DATE: 1968/09/01

TOWNSHIP RANGE SECTION

ELEVATION: 684FT

DRILL DEPTH: 256FT

48N 1W 5

DEPTH TO BED: 80FT

UTM X UTM Y
669,213.13 4,313,074.76
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 3.5 MI SW OF TROY

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028280**WELL TYPE

Community Public Well

DRILL DATE: 1979/07/15TOWNSHIPRANGESECTIONELEVATION:

525FT

DRILL DEPTH: 885FT

48N

1E

5

DEPTH TO BED: 130FTUTM XUTM Y

679,991.45

4,312,646.95

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 140**LOG ID:****017136**WELL TYPE

Private Well

DRILL DATE: 1958/05/02TOWNSHIPRANGESECTIONELEVATION:

671FT

DRILL DEPTH: 236FT

48N

1W

6

DEPTH TO BED: 45FTUTM XUTM Y

668,832.12

4,313,443.76

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: YIELD - 25 GPM @ 75'S.W.L. (AFTER CASING): 35**LOG ID:****026317**WELL TYPE

Private Well

DRILL DATE: 1967/11/18TOWNSHIPRANGESECTIONELEVATION:

552FT

DRILL DEPTH: 185FT

48N

1E

6

DEPTH TO BED: 95FTUTM XUTM Y

677,824.38

4,313,192.92

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 3 MI S, 1 MI W OF TROY; YIELD -3 GPM @ 174'S.W.L. (AFTER CASING): 80**LOG ID:****026693**WELL TYPE

Private Well

DRILL DATE: 1968/10/28TOWNSHIPRANGESECTIONELEVATION:

552FT

DRILL DEPTH: 225FT

48N

1E

6

DEPTH TO BED: 85FTUTM XUTM Y

678,118.39

4,313,096.93

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: MOSCOW MILLS ROAD; NO SAMPLES LOGGED - TOPS ONLYS.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
027760

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	535FT
		48N	1E	6		
<u>DRILL DEPTH:</u>	769FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	100FT				678,159.39	4,313,005.93
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	NO SAMPLES LOGGED, TD ONLY			
<u>S.W.L. (AFTER CASING):</u>			DRILLER'S LOG ONLY			

LOG ID:
006618

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1940/12/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	556FT
		48N	1E	8		
<u>DRILL DEPTH:</u>	230FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				679,297.43	4,312,065.93
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	75					

LOG ID:
000457

WELL TYPE
Oil Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	471FT
		48N	1E	9		
<u>DRILL DEPTH:</u>	740FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	80FT				681,167.49	4,312,415.96
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#1 MOSCOW MILLS STATION			
<u>S.W.L. (AFTER CASING):</u>			DRILLER'S LOG ONLY			

LOG ID:
015679

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1956/05/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	675FT
		48N	2W	12		
<u>DRILL DEPTH:</u>	210FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	115FT				665,472.04	4,311,340.66
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	45					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026690**WELL TYPE

Private Well

DRILL DATE: 1968/08/20TOWNSHIPRANGESECTIONELEVATION:

744FT

DRILL DEPTH: 405FT

48N

2W

26

DEPTH TO BED: 55FTUTM XUTM Y

664,598.00

4,306,706.61

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 140**LOG ID:****007494**WELL TYPE

Private Well

DRILL DATE: 1941/00/00TOWNSHIPRANGESECTIONELEVATION:

748FT

DRILL DEPTH: 90FT

48N

2W

36

DEPTH TO BED: 50FTUTM XUTM Y

666,793.04

4,304,458.64

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 8 MI NW OF WRIGHT CITY, 7 MI NE OF WARRENTONS.W.L. (AFTER CASING):**LOG ID:****025244**WELL TYPE

Private Well

DRILL DATE: 1967/04/17TOWNSHIPRANGESECTIONELEVATION:

718FT

DRILL DEPTH: 225FT

48N

2W

4

DEPTH TO BED: 30FTUTM XUTM Y

661,996.97

4,312,973.58

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****005386**WELL TYPE

Private Well

DRILL DATE: 1939/03/24TOWNSHIPRANGESECTIONELEVATION:

559FT

DRILL DEPTH: 340FT

48N

2E

6

DEPTH TO BED: 15FTUTM XUTM Y

688,522.76

4,313,958.07

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: ETHLYN, MO.; YIELD - 10-12 GPMS.W.L. (AFTER CASING): 85

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
005906

WELL TYPE
Private Well

DRILL DATE: 1939/11/01

TOWNSHIP RANGE SECTION

ELEVATION: 751FT

DRILL DEPTH: 180FT

48N 2W 6

DEPTH TO BED: 45FT

UTM X UTM Y
658,183.89 4,312,674.49
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: WITT FARM

S.W.L. (AFTER CASING):

LOG ID:
007188

WELL TYPE
Private Well

DRILL DATE: 1941/08/12

TOWNSHIP RANGE SECTION

ELEVATION: 540FT

DRILL DEPTH: 305FT

48N 2E 6

DEPTH TO BED: 45FT

UTM X UTM Y
687,391.72 4,314,204.05
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: MOSCOW MILLS

S.W.L. (AFTER CASING): 50

LOG ID:
009955

WELL TYPE
Private Well

DRILL DATE: 1945/10/05

TOWNSHIP RANGE SECTION

ELEVATION: 737FT

DRILL DEPTH: 300FT

48N 2W 6

DEPTH TO BED: 25FT

UTM X UTM Y
657,061.87 4,313,758.47
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: HAWK POINT TWSHP.

S.W.L. (AFTER CASING): 85

LOG ID:
000458

WELL TYPE
Private Well

DRILL DATE: 1915/00/00

TOWNSHIP RANGE SECTION

ELEVATION: 704FT

DRILL DEPTH: 656FT

49N 1E 1

DEPTH TO BED: 42FT

UTM X UTM Y
685,278.72 4,322,709.12
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: FEW UNITS IDENTIFIED
DRILLER'S LOG ONLY

S.W.L. (AFTER CASING): 95



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**023635**WELL TYPE

Private Well

DRILL DATE: 1965/06/11TOWNSHIPRANGESECTIONELEVATION:

685FT

DRILL DEPTH: 375FT

49N

1W

1

DEPTH TO BED: 15FTUTM XUTM Y

676,046.40

4,322,463.00

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 10 MI N OF TROY, E OF HWY 61S.W.L. (AFTER CASING): 120**LOG ID:****025127**WELL TYPE

Private Well

DRILL DATE: 1966/12/16TOWNSHIPRANGESECTIONELEVATION:

710FT

DRILL DEPTH: 365FT

49N

1W

1

DEPTH TO BED: 45FTUTM XUTM Y

675,619.41

4,323,775.01

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: NEAR TROYS.W.L. (AFTER CASING): 170**LOG ID:****007912**WELL TYPE

Private Well

DRILL DATE: 1942/00/00TOWNSHIPRANGESECTIONELEVATION:

663FT

DRILL DEPTH: 180FT

49N

1E

10

DEPTH TO BED: 50FTUTM XUTM Y

683,028.63

4,321,512.07

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: NEAR SNOW HILLS.W.L. (AFTER CASING): 60**LOG ID:****020769**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

666FT

DRILL DEPTH: 250FT

49N

1E

10

DEPTH TO BED: 65FTUTM XUTM Y

682,993.62

4,321,070.07

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: formerly in name of William T. DrewelS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028065**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1977/01/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	640FT
<u>DRILL DEPTH:</u>	1,450FT	49N	1E	10	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	70FT				682,816.62	4,321,673.07
<u>S.W.L. (BEFORE CASING):</u>	138					ZONE 15
<u>S.W.L. (AFTER CASING):</u>						
	FT					

REMARKS:**LOG ID:****005611**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1939/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	554FT
<u>DRILL DEPTH:</u>	195FT	49N	1W	11	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				674,629.32	4,320,949.96
<u>S.W.L. (BEFORE CASING):</u>						ZONE 15
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: NEAR TROY**LOG ID:****005680**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1939/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	483FT
<u>DRILL DEPTH:</u>	100FT	49N	1W	11	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				673,810.31	4,321,864.96
<u>S.W.L. (BEFORE CASING):</u>						ZONE 15
<u>S.W.L. (AFTER CASING):</u>						
	FT					

REMARKS: @ CLUB HOUSE; E BANK OF N FORK OF CUIVRE RIVER**LOG ID:****016659**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1955/03/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	684FT
<u>DRILL DEPTH:</u>	345FT	49N	1E	11	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	65FT				685,073.70	4,320,985.09
<u>S.W.L. (BEFORE CASING):</u>						ZONE 15
<u>S.W.L. (AFTER CASING):</u>						
	FT					

REMARKS: YIELD - 11 GPM @ 220'



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**024186**WELL TYPE

Private Well

DRILL DATE: 1966/02/21TOWNSHIPRANGESECTIONELEVATION:

657FT

DRILL DEPTH: 405FT

49N

1W

11

DEPTH TO BED: 45FTUTM XUTM Y

674,582.33

4,321,464.97

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****006993**WELL TYPE

Private Well

DRILL DATE: 1941/00/00TOWNSHIPRANGESECTIONELEVATION:

501FT

DRILL DEPTH: 152FT

49N

1W

13

DEPTH TO BED: 10FTUTM XUTM Y

675,629.33

4,319,086.94

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: ON E SD OF HWY 61 @ TOP OF HILLS.W.L. (AFTER CASING): 25**LOG ID:****013166**WELL TYPE

Private Well

DRILL DATE: 1954/02/01TOWNSHIPRANGESECTIONELEVATION:

509FT

DRILL DEPTH: 350FT

49N

1W

14

DEPTH TO BED: 20FTUTM XUTM Y

675,378.32

4,319,106.94

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1 MI N OF TROY ON HWY 61S.W.L. (AFTER CASING): 16**LOG ID:****024181**WELL TYPE

Private Well

DRILL DATE: 1966/02/22TOWNSHIPRANGESECTIONELEVATION:

521FT

DRILL DEPTH: 205FT

49N

1W

15

DEPTH TO BED: 35FTUTM XUTM Y

672,747.24

4,319,714.91

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NEAR TROYS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**002987**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1934/10/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	680FT
<u>DRILL DEPTH:</u>	785FT	49N	1E	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				680,280.52	4,320,324.02
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	formerly in name of US CCC - Cuivre Park - Avery Walker			
<u>S.W.L. (AFTER CASING):</u>	145		Driller's Log Included			

LOG ID:**006148**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1940/05/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	579FT
<u>DRILL DEPTH:</u>	942FT	49N	1E	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	7FT				680,012.49	4,319,433.01
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	formerly in name of National Park Service - Hamilton well			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**010024**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1948/04/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	554FT
<u>DRILL DEPTH:</u>	194FT	49N	1W	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				670,314.19	4,319,491.85
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	6 MI NW OF TROY			
<u>S.W.L. (AFTER CASING):</u>	40					

LOG ID:**004201**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1937/04/26	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	554FT
<u>DRILL DEPTH:</u>	680FT	49N	1E	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				678,341.44	4,319,935.99
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	formerly in name of Resettlement Administration Public Area			
<u>S.W.L. (AFTER CASING):</u>	30					

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
003955

WELL TYPE
Private Well

DRILL DATE: 1936/10/01

TOWNSHIP RANGE SECTION

ELEVATION: 528FT

DRILL DEPTH: 400FT

49N 1E 19

DEPTH TO BED: 20FT

UTM X UTM Y
678,292.42 4,318,839.98
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: @ FRENCHMANS BLUFF

S.W.L. (AFTER CASING):

LOG ID:
007052

WELL TYPE
Private Well

DRILL DATE: 1941/00/00

TOWNSHIP RANGE SECTION

ELEVATION: 666FT

DRILL DEPTH: 127FT

49N 1W 19

DEPTH TO BED: 10FT

UTM X UTM Y
667,719.12 4,317,706.76
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 70

LOG ID:
025520

WELL TYPE
Private Well

DRILL DATE: 1967/09/13

TOWNSHIP RANGE SECTION

ELEVATION:

DRILL DEPTH: 405FT

49N 1E 19

DEPTH TO BED:

UTM X UTM Y
677,319.38 4,318,547.96
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 125

LOG ID:
027540

WELL TYPE
Private Well

DRILL DATE:

TOWNSHIP RANGE SECTION

ELEVATION: 620FT

DRILL DEPTH: 380FT

49N 1W 19

DEPTH TO BED: 140FT

UTM X UTM Y
668,123.13 4,318,594.78
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028563**WELL TYPE

Private Well

DRILL DATE: 1974/02/06TOWNSHIPRANGESECTIONELEVATION:

620FT

DRILL DEPTH: 685FT

49N

1W

19

DEPTH TO BED: 25FTUTM XUTM Y

667,875.12

4,317,868.76

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****006079**WELL TYPE

Private Well

DRILL DATE: 1940/06/15TOWNSHIPRANGESECTIONELEVATION:

701FT

DRILL DEPTH: 327FT

49N

1W

2

DEPTH TO BED: 12FTUTM XUTM Y

674,882.37

4,323,123.99

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: E SD HWY 61; DRY TO 280'; SLIGHT TRACE OF SULPHURS.W.L. (AFTER CASING): 130**LOG ID:****010025**WELL TYPE

Private Well

DRILL DATE: 1947/06/01TOWNSHIPRANGESECTIONELEVATION:

682FT

DRILL DEPTH: 255FT

49N

1W

2

DEPTH TO BED: 25FTUTM XUTM Y

674,838.36

4,322,778.99

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 4.5 MI N OF TROY ON HWY 61
Driller's Log IncludedS.W.L. (AFTER CASING): 35**LOG ID:****013164**WELL TYPE

Private Well

DRILL DATE: 1954/03/01TOWNSHIPRANGESECTIONELEVATION:

722FT

DRILL DEPTH: 333FT

49N

1E

2

DEPTH TO BED: 10FTUTM XUTM Y

685,153.73

4,324,073.13

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.5 MI S OF SNOW HILLS.W.L. (AFTER CASING): 70



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
021879

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 731FT
49N 1W 2
DRILL DEPTH: 366FT
DEPTH TO BED: 25FT UTM X UTM Y
675,281.39 4,323,608.01
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 4.5 MI N OF TROY JCT
S.W.L. (AFTER CASING): 200

LOG ID:
024061

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 640FT
49N 1W 2
DRILL DEPTH: 465FT
DEPTH TO BED: 45FT UTM X UTM Y
674,654.36 4,322,675.99
ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
012861

WELL TYPE
Private Well

DRILL DATE: 1954/00/00 TOWNSHIP RANGE SECTION ELEVATION: 501FT
49N 1E 20
DRILL DEPTH: 151FT
DEPTH TO BED: UTM X UTM Y
679,868.48 4,318,635.99
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 35' ABOVE BED OF LITTLE SUGAR CREEK NEAR TROY
S.W.L. (AFTER CASING): 30

LOG ID:
010021

WELL TYPE
Private Well

DRILL DATE: 1947/09/01 TOWNSHIP RANGE SECTION ELEVATION: 549FT
49N 1E 21
DRILL DEPTH: 125FT
DEPTH TO BED: 15FT UTM X UTM Y
680,511.50 4,318,617.00
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 4 MI NE OF TROY
S.W.L. (AFTER CASING): 50



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
010995

WELL TYPE
Private Well

DRILL DATE: 1947/03/24

TOWNSHIP RANGE SECTION

ELEVATION: 523FT

DRILL DEPTH: 270FT

49N 1W 21

DEPTH TO BED: 15FT

UTM X UTM Y
672,055.21 4,318,720.88
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 3 MI NW OF TROY ON MILL WOOD RD

S.W.L. (AFTER CASING): 6

LOG ID:
024320

WELL TYPE
Private Well

DRILL DATE: 1966/06/01

TOWNSHIP RANGE SECTION

ELEVATION: 595FT

DRILL DEPTH: 267FT

49N 1W 21

DEPTH TO BED: 16FT

UTM X UTM Y
671,172.19 4,317,722.85
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: formerly in name of Karl Pfeiffer - 1.5 MI NW OF TROY

S.W.L. (AFTER CASING):

LOG ID:
005777

WELL TYPE
Private Well

DRILL DATE: 1939/11/01

TOWNSHIP RANGE SECTION

ELEVATION: 628FT

DRILL DEPTH: 241FT

49N 1W 22

DEPTH TO BED: 10FT

UTM X UTM Y
672,555.22 4,318,225.89
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: @ TROY

S.W.L. (AFTER CASING):

LOG ID:
005907

WELL TYPE
Private Well

DRILL DATE: 1940/01/25

TOWNSHIP RANGE SECTION

ELEVATION: 649FT

DRILL DEPTH: 150FT

49N 1W 22

DEPTH TO BED: 15FT

UTM X UTM Y
673,079.22 4,317,567.89
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 50



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**007266**WELL TYPE

Private Well

DRILL DATE: 1941/05/30TOWNSHIPRANGESECTIONELEVATION:

634FT

DRILL DEPTH: 270FT

49N

1E

22

DEPTH TO BED: 100FTUTM XUTM Y

682,895.59

4,318,625.03

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 65**LOG ID:****008980**WELL TYPE

Private Well

DRILL DATE: 1945/05/22TOWNSHIPRANGESECTIONELEVATION:

535FT

DRILL DEPTH: 288FT

49N

1W

22

DEPTH TO BED: 15FTUTM XUTM Y

673,101.23

4,318,977.91

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 25**LOG ID:****009368**WELL TYPE

Private Well

DRILL DATE: 1946/07/26TOWNSHIPRANGESECTIONELEVATION:

591FT

DRILL DEPTH: 155FT

49N

1W

22

DEPTH TO BED: 10FTUTM XUTM Y

673,604.25

4,318,791.91

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1.5 MI NW OF TROYS.W.L. (AFTER CASING): 72**LOG ID:****009953**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

574FT

DRILL DEPTH: 202FT

49N

1E

22

DEPTH TO BED: 45FTUTM XUTM Y

683,367.60

4,317,912.03

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 5.5 MI E OF TROY ON HWY 47S.W.L. (AFTER CASING): 50



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**005912**WELL TYPE

Private Well

DRILL DATE: 1940/03/01TOWNSHIPRANGESECTIONELEVATION:

617FT

DRILL DEPTH: 251FT

49N

1W

23

DEPTH TO BED: 10FTUTM XUTM Y

674,134.26

4,317,953.91

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1 MI N OR NW OF JONES HOTEL ON ROAD THROUGH TROYS.W.L. (AFTER CASING): 60**LOG ID:****012153**WELL TYPE

Private Well

DRILL DATE: 1962/06/30TOWNSHIPRANGESECTIONELEVATION:

529FT

DRILL DEPTH: 155FT

49N

1W

23

DEPTH TO BED: 10FTUTM XUTM Y

674,260.27

4,318,342.92

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1.3 MI N OF CORNER OF CHERRY & MAIN STS., TROYS.W.L. (AFTER CASING): 23**LOG ID:****009355**WELL TYPE

Private Well

DRILL DATE: 1944/09/06TOWNSHIPRANGESECTIONELEVATION:

528FT

DRILL DEPTH: 181FT

49N

1W

24

DEPTH TO BED: 30FTUTM XUTM Y

675,814.33

4,318,793.94

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: N OF TROYS.W.L. (AFTER CASING): 45**LOG ID:****020914**WELL TYPE

Private Well

DRILL DATE: 1962/05/21TOWNSHIPRANGESECTIONELEVATION:

565FT

DRILL DEPTH: 460FT

49N

1W

24

DEPTH TO BED: 25FTUTM XUTM Y

676,743.37

4,319,009.96

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 1.5 MI NE OF TROY; ORIGINALLY "DRY TO 368"S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025574**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

646FT

DRILL DEPTH:

445FT

49N

1E

24

UTM XUTM YDEPTH TO BED:

125FT

686,135.72

4,319,116.08

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

W OF WINFIELD; YIELDS - 1 GPM @ 395', 2 GPM @ 405', 12 GPM @ 430'

S.W.L. (AFTER CASING):

110

LOG ID:**015708**WELL TYPE

Private Well

DRILL DATE:

1956/12/15

TOWNSHIPRANGESECTIONELEVATION:

631FT

DRILL DEPTH:

480FT

49N

1E

26

UTM XUTM YDEPTH TO BED:

60FT

683,920.62

4,316,445.03

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

150

LOG ID:**023979**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

591FT

DRILL DEPTH:

345FT

49N

1E

26

UTM XUTM YDEPTH TO BED:

70FT

684,197.62

4,316,165.03

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****024183**WELL TYPE

Private Well

DRILL DATE:

1966/03/15

TOWNSHIPRANGESECTIONELEVATION:

627FT

DRILL DEPTH:

385FT

49N

1E

26

UTM XUTM YDEPTH TO BED:

105FT

684,289.63

4,316,909.04

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

formerly in name of Charles Hickman

S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
005778

WELL TYPE
Private Well

DRILL DATE: 1939/11/01

TOWNSHIP RANGE SECTION

ELEVATION: 630FT

DRILL DEPTH: 152FT

49N 1W 27

DEPTH TO BED: 10FT

UTM X UTM Y
673,574.24 4,317,035.90
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: @ TROY

S.W.L. (AFTER CASING):

LOG ID:
006185

WELL TYPE
Private Well

DRILL DATE: 1940/06/29

TOWNSHIP RANGE SECTION

ELEVATION: 662FT

DRILL DEPTH: 200FT

49N 1W 27

DEPTH TO BED: 15FT

UTM X UTM Y
672,990.22 4,317,425.89
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: NEAR TROY

S.W.L. (AFTER CASING): 65

LOG ID:
008804

WELL TYPE
Private Well

DRILL DATE: 1944/10/06

TOWNSHIP RANGE SECTION

ELEVATION: 634FT

DRILL DEPTH: 134FT

49N 1W 27

DEPTH TO BED: 15FT

UTM X UTM Y
672,507.21 4,317,305.88
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 1 MI NW OF TROY ON MILLWOOD RD

S.W.L. (AFTER CASING): 50

LOG ID:
010029

WELL TYPE
Private Well

DRILL DATE: 1947/06/01

TOWNSHIP RANGE SECTION

ELEVATION: 571FT

DRILL DEPTH: 327FT

49N 1E 27

DEPTH TO BED: 30FT

UTM X UTM Y
682,937.58 4,316,030.01
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 6 MI SE OF TROY

S.W.L. (AFTER CASING): 65



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028652**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

548FT

DRILL DEPTH:

1,640FT

49N

1E

27

UTM XUTM YDEPTH TO BED:

15FT

682,609.57

4,316,060.01

ZONE 15

S.W.L. (BEFORE CASING):

125

REMARKS:

PLUGGED BACK TO 1400'

S.W.L. (AFTER CASING):

FT

LOG ID:**025237**WELL TYPE

Private Well

DRILL DATE:

1967/04/20

TOWNSHIPRANGESECTIONELEVATION:

588FT

DRILL DEPTH:

305FT

49N

1E

28

UTM XUTM YDEPTH TO BED:

25FT

680,770.51

4,317,504.00

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****008987**WELL TYPE

Private Well

DRILL DATE:

1945/06/27

TOWNSHIPRANGESECTIONELEVATION:

613FT

DRILL DEPTH:

110FT

49N

1W

29

UTM XUTM YDEPTH TO BED:

40FT

669,985.16

4,316,772.81

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

3 MI W OF TROY ON HWY 47, RT @ MOORE SCHOOL, 2 MI NW

S.W.L. (AFTER CASING):

22

LOG ID:**024864**WELL TYPE

Private Well

DRILL DATE:

1966/10/11

TOWNSHIPRANGESECTIONELEVATION:

517FT

DRILL DEPTH:

205FT

49N

1E

29

UTM XUTM YDEPTH TO BED:

45FT

678,802.43

4,317,422.97

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026490**WELL TYPE

Private Well

DRILL DATE: 1968/08/20TOWNSHIPRANGESECTIONELEVATION:

658FT

DRILL DEPTH: 165FT

49N

1W

29

DEPTH TO BED: 85FTUTM XUTM Y

669,436.15

4,316,681.80

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****026739**WELL TYPE

Private Well

DRILL DATE: 1967/03/13TOWNSHIPRANGESECTIONELEVATION:

620FT

DRILL DEPTH: 300FT

49N

1W

29

DEPTH TO BED: 85FTUTM XUTM Y

670,492.17

4,317,439.83

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 70**LOG ID:****028890**WELL TYPE

Community Public Well

DRILL DATE: 1998/07/TOWNSHIPRANGESECTIONELEVATION:

560FT

DRILL DEPTH: 1,490FT

49N

1E

29

DEPTH TO BED: 15FTUTM XUTM Y

680,233.49

4,317,565.99

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: Hwy 47, east of Thornhill Cemetery and Blue Goose RoadsS.W.L. (AFTER CASING): 204**LOG ID:****006000**WELL TYPE

Private Well

DRILL DATE: 1940/01/20TOWNSHIPRANGESECTIONELEVATION:

617FT

DRILL DEPTH: 340FT

49N

1W

3

DEPTH TO BED: 10FTUTM XUTM Y

673,562.32

4,322,868.97

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 90



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008989**WELL TYPE

Private Well

DRILL DATE: 1945/08/13TOWNSHIPRANGESECTIONELEVATION:

691FT

DRILL DEPTH: 450FT

49N

1E

3

DEPTH TO BED: 90FTUTM XUTM Y

682,501.63

4,323,268.09

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 4 MI N OF HWY 47S.W.L. (AFTER CASING): 103**LOG ID:****006435**WELL TYPE

Private Well

DRILL DATE: 1940/10/02TOWNSHIPRANGESECTIONELEVATION:

639FT

DRILL DEPTH: 165FT

49N

1W

30

DEPTH TO BED: 85FTUTM XUTM Y

668,935.14

4,317,136.79

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: TROYS.W.L. (AFTER CASING): 31**LOG ID:****007038**WELL TYPE

Private Well

DRILL DATE: 1941/05/15TOWNSHIPRANGESECTIONELEVATION:

496FT

DRILL DEPTH: 130FT

49N

1E

30

DEPTH TO BED: 15FTUTM XUTM Y

678,075.41

4,317,339.96

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1 MI E OF TROY JCT ON HWY 47S.W.L. (AFTER CASING): 32**LOG ID:****007187**WELL TYPE

Private Well

DRILL DATE: 1941/07/01TOWNSHIPRANGESECTIONELEVATION:

695FT

DRILL DEPTH: 350FT

49N

1W

31

DEPTH TO BED: 115FTUTM XUTM Y

668,749.13

4,314,581.76

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 105

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
026907

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1969/07/11	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	680FT
<u>DRILL DEPTH:</u>	285FT	49N	1W	31	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				668,350.12	4,315,604.76
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	W OF TROY; YIELDS 1 GPM @ 65', 0.5 GPM @ 145', 58 GPM @ 260-285'			

LOG ID:
019056

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	670FT
<u>DRILL DEPTH:</u>	320FT	49N	1W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				669,296.14	4,315,250.78
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	3.5 MI W OF TROY ON HWY 47			
<u>S.W.L. (AFTER CASING):</u>	60				ZONE 15	

LOG ID:
028907

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	2002/05/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	680FT
<u>DRILL DEPTH:</u>	1,615FT	49N	1W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					670,480.16	4,314,378.80
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	180				ZONE 15	

LOG ID:
029028

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	2003/12/18	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	540FT
<u>DRILL DEPTH:</u>	1,690FT	49N	1W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				670,560.16	4,314,351.81
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	Second attempt for well #11. Successful.			
<u>S.W.L. (AFTER CASING):</u>	180				ZONE 15	



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025238**WELL TYPE

Private Well

DRILL DATE: 1966/11/21TOWNSHIPRANGESECTIONELEVATION:

509FT

DRILL DEPTH: 105FT

49N

1E

33

DEPTH TO BED: 45FTUTM XUTM Y

680,707.49

4,315,687.98

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 48**LOG ID:****028676**WELL TYPE

Community Public Well

DRILL DATE: 1987/06/29TOWNSHIPRANGESECTIONELEVATION:

682FT

DRILL DEPTH: 1,400FT

49N

1W

33

DEPTH TO BED: 20FTUTM XUTM Y

670,639.17

4,315,427.82

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****005824**WELL TYPE

Private Well

DRILL DATE: 1939/12/12TOWNSHIPRANGESECTIONELEVATION:

672FT

DRILL DEPTH: 209FT

49N

1W

34

DEPTH TO BED: 85FTUTM XUTM Y

672,313.20

4,315,544.86

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 75**LOG ID:****005887**WELL TYPE

Private Well

DRILL DATE: 1940/03/08TOWNSHIPRANGESECTIONELEVATION:

590FT

DRILL DEPTH: 125FT

49N

1W

34

DEPTH TO BED: 25FTUTM XUTM Y

673,788.24

4,315,512.89

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: ON W SD OF RD TO SOUTH TROY, 0.2 MI S OF HWY 47S.W.L. (AFTER CASING): 25



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025232**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1966/11/10	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	535FT
<u>DRILL DEPTH:</u>	300FT	49N	1E	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				684,418.63	4,315,584.03
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	60					

REMARKS:**LOG ID:****025280**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1966/11/11	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	567FT
<u>DRILL DEPTH:</u>	305FT	49N	1E	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	65FT				684,190.62	4,315,343.02
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	80					

REMARKS: E OF TROY; formerly in name of John Derham**LOG ID:****028185**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1978/11/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	600FT
<u>DRILL DEPTH:</u>	1,450FT	49N	1W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					674,211.26	4,315,689.90
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	225					

REMARKS: OLD WELL (#28247) DEEPENED - #28185 COMPLETE LOG**LOG ID:****028247**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1978/11/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	600FT
<u>DRILL DEPTH:</u>	1,450FT	49N	1W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					674,307.26	4,315,660.90
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	225					

REMARKS: OLD HOLE (#28185) DEEPENED 1120-TD (#28247)- SEE 28185 FOR COMPLETE LOG



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**016692**WELL TYPE

Private Well

DRILL DATE: 1957/00/00TOWNSHIPRANGESECTIONELEVATION:

656FT

DRILL DEPTH: 145FT

49N

1E

4

DEPTH TO BED: 25FTUTM XUTM Y

681,279.59

4,323,469.08

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 60**LOG ID:****026614**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1970/07/15TOWNSHIPRANGESECTIONELEVATION:

678FT

DRILL DEPTH: 875FT

49N

1E

4

DEPTH TO BED: 70FTUTM XUTM Y

681,071.58

4,322,698.06

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 123**LOG ID:****003688**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1936/07/15TOWNSHIPRANGESECTIONELEVATION:

679FT

DRILL DEPTH: 850FT

49N

1E

5

DEPTH TO BED: 20FTUTM XUTM Y

680,310.56

4,323,868.07

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: formerly in name of Resettlement Administration - DowellS.W.L. (AFTER CASING):**LOG ID:****007479**WELL TYPE

Private Well

DRILL DATE: 1941/09/11TOWNSHIPRANGESECTIONELEVATION:

480FT

DRILL DEPTH: 252FT

49N

1W

5

DEPTH TO BED: 30FTUTM XUTM Y

670,470.25

4,322,536.90

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: ON MILLWOOD RD 0.25 MI N OF STEFFEN BRIDGES.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**022238**WELL TYPE

Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 585FT
49N 1W 5
DRILL DEPTH: 425FT UTM X UTM Y
DEPTH TO BED: 55FT 669,426.24 4,322,899.88
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: formerly in name of Alvis H. Shirley
S.W.L. (AFTER CASING):

LOG ID:**011248**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1949/12/04 TOWNSHIP RANGE SECTION ELEVATION: 597FT
49N 1W 6
DRILL DEPTH: 268FT UTM X UTM Y
DEPTH TO BED: 10FT 667,323.21 4,323,609.85
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1.1 X 1.25 MI SECTION; 9 MI NW OF TROY
S.W.L. (AFTER CASING): 90

LOG ID:**026894**WELL TYPE

Private Well

DRILL DATE: 1969/05/01 TOWNSHIP RANGE SECTION ELEVATION: 564FT
49N 1W 6
DRILL DEPTH: 165FT UTM X UTM Y
DEPTH TO BED: 95FT 667,656.20 4,323,012.84
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 90

LOG ID:**003237**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1935/04/01 TOWNSHIP RANGE SECTION ELEVATION: 680FT
49N 1E 7
DRILL DEPTH: 694FT UTM X UTM Y
DEPTH TO BED: 35FT 678,110.45 4,321,388.01
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of US CCC - Oldfather Well #2
S.W.L. (AFTER CASING): 100 Driller's Log Included



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026498**WELL TYPE

Private Well

DRILL DATE: 1967/09/23TOWNSHIP RANGE SECTION

49N

1W

7

ELEVATION: 516FTDRILL DEPTH: 505FTUTM X UTM YDEPTH TO BED: 40FT668,580.19 4,321,149.83
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 3.5 MI NW OF TROYS.W.L. (AFTER CASING):**LOG ID:****003684**WELL TYPE

Private Well

DRILL DATE: 1936/07/03TOWNSHIP RANGE SECTION

49N

1W

9

ELEVATION: 513FTDRILL DEPTH: 101FTUTM X UTM YDEPTH TO BED: 27FT671,510.25 4,321,702.91
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: AT CABIN SITE ON E BANK OF N FORK CUIVRE RIVERS.W.L. (AFTER CASING): 38**LOG ID:****023686**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTION

49N

1W

9

ELEVATION: 502FTDRILL DEPTH: 325FTUTM X UTM YDEPTH TO BED: 25FT671,565.25 4,321,621.91
ZONE 15S.W.L. (BEFORE CASING):REMARKS: "CAN'T LOCATE"S.W.L. (AFTER CASING):**LOG ID:****025372**WELL TYPE

Private Well

DRILL DATE: 1967/04/18TOWNSHIP RANGE SECTION

49N

1E

9

ELEVATION: 670FTDRILL DEPTH: 405FTUTM X UTM YDEPTH TO BED: 35FT681,303.57 4,321,465.05
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: E OF CUIVRE RIVER STATE PARKS.W.L. (AFTER CASING): 110



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026921**WELL TYPE

Private Well

DRILL DATE: 1969/06/12TOWNSHIPRANGESECTIONELEVATION:

526FT

DRILL DEPTH: 615FT

49N

1W

9

DEPTH TO BED: 95FTUTM XUTM Y

671,342.26

4,322,171.92

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: QUIVRE RIVER BRIDGE NEAR TROYS.W.L. (AFTER CASING): 85**LOG ID:****016707**WELL TYPE

Private Well

DRILL DATE: 1954/10/01TOWNSHIPRANGESECTIONELEVATION:

650FT

DRILL DEPTH: 495FT

49N

2E

11

DEPTH TO BED: 15FTUTM XUTM Y

694,130.02

4,321,266.21

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 160**LOG ID:****007506**WELL TYPE

Private Well

DRILL DATE: 1941/00/00TOWNSHIPRANGESECTIONELEVATION:

602FT

DRILL DEPTH: 214FT

49N

2W

15

DEPTH TO BED: 35FTUTM XUTM Y

662,102.03

4,319,636.64

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: ON HWY D 3 MI N OF HAWK POINTS.W.L. (AFTER CASING): 35**LOG ID:****009372**WELL TYPE

Private Well

DRILL DATE: 1944/10/08TOWNSHIPRANGESECTIONELEVATION:

579FT

DRILL DEPTH: 215FT

49N

2W

15

DEPTH TO BED: 20FTUTM XUTM Y

662,010.04

4,320,052.65

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 4 MI N OF HAWK POINT ON HWY D, LEFT SD RDS.W.L. (AFTER CASING): 50



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011244**WELL TYPE

Private Well

DRILL DATE: 1949/05/04TOWNSHIPRANGESECTIONELEVATION:

517FT

DRILL DEPTH: 288FT

49N

2E

15

DEPTH TO BED: 10FTUTM XUTM Y

692,786.96

4,319,342.17

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1.5 MI W OF WINFIELDS.W.L. (AFTER CASING): 16**LOG ID:****028028**WELL TYPE

Private Well

DRILL DATE: 1976/01/27TOWNSHIPRANGESECTIONELEVATION:

565FT

DRILL DEPTH: 500FT

49N

2W

15

DEPTH TO BED: 35FTUTM XUTM Y

662,048.04

4,320,452.66

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: CHICKEN FARM; NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****007268**WELL TYPE

Private Well

DRILL DATE: 1941/04/17TOWNSHIPRANGESECTIONELEVATION:

653FT

DRILL DEPTH: 315FT

49N

2W

16

DEPTH TO BED: 30FTUTM XUTM Y

660,707.99

4,319,241.60

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 100**LOG ID:****008657**WELL TYPE

Private Well

DRILL DATE: 1944/08/01TOWNSHIPRANGESECTIONELEVATION:

696FT

DRILL DEPTH: 150FT

49N

2W

17

DEPTH TO BED: 40FTUTM XUTM Y

659,652.98

4,319,753.59

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 5 MI NW OF HAWK POINT NEAR QUINN FARMS.W.L. (AFTER CASING): 85



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008979**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	711FT
		49N	2W	18		
<u>DRILL DEPTH:</u>	165FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				657,058.93	4,319,634.52
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> formerly in name of John Cato - 5 MI W OF HAWK POINT				
<u>S.W.L. (AFTER CASING):</u>	70					

LOG ID:**009353**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1945/11/05	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	647FT
		49N	2E	18		
<u>DRILL DEPTH:</u>	375FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				686,996.76	4,320,378.11
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> 1 MI NW OF HWY 47				
<u>S.W.L. (AFTER CASING):</u>	32					

LOG ID:**005377**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1939/04/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	714FT
		49N	2W	19		
<u>DRILL DEPTH:</u>	171FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				657,803.93	4,318,777.52
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> BAD LOCATION OR ELEVATION				
<u>S.W.L. (AFTER CASING):</u>	50					

LOG ID:**009871**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1946/11/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	711FT
		49N	2W	20		
<u>DRILL DEPTH:</u>	155FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				659,659.96	4,318,538.56
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> 3 MI NW OF HAWK POINT				
<u>S.W.L. (AFTER CASING):</u>	60					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
013110

WELL TYPE
Private Well

DRILL DATE: 1954/05/24 TOWNSHIP 49N RANGE 2E SECTION 20 ELEVATION: 579FT
DRILL DEPTH: 420FT UTM X 688,681.81 UTM Y 4,318,543.11
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 5 MI W OF WINFIELD ON HWY 47
S.W.L. (AFTER CASING): 68

LOG ID:
013184

WELL TYPE
Private Well

DRILL DATE: 1954/01/01 TOWNSHIP 49N RANGE 2E SECTION 20 ELEVATION: 610FT
DRILL DEPTH: 425FT UTM X 688,709.80 UTM Y 4,317,779.10
DEPTH TO BED: 60FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 10 MI E OF TROY ON HWY 47; WARSAW & BURLINGTON
S.W.L. (AFTER CASING): 120 SAMPLES MAY BE MIXED

LOG ID:
023177

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 49N RANGE 2E SECTION 20 ELEVATION: 602FT
DRILL DEPTH: 350FT UTM X 689,317.82 UTM Y 4,317,797.11
DEPTH TO BED: 85FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: WINFIELD
S.W.L. (AFTER CASING):

LOG ID:
027447

WELL TYPE
Community Public Well

DRILL DATE: TOWNSHIP 49N RANGE 2E SECTION 20 ELEVATION: 604FT
DRILL DEPTH: 1,280FT UTM X 689,205.82 UTM Y 4,317,833.11
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): 140 REMARKS:
S.W.L. (AFTER CASING): FT

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025528**WELL TYPE

Private Well

DRILL DATE: 1967/07/08TOWNSHIP RANGE SECTION

49N

2W

21

ELEVATION: 558FTDRILL DEPTH: 345FTUTM X UTM YDEPTH TO BED: 25FT

661,736.00 4,318,257.61

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NEAR HAWK POINT; 2 GPM @ 220', 1 GPM @ 260', 1 GPM @ 320'S.W.L. (AFTER CASING):**LOG ID:****010996**WELL TYPE

Private Well

DRILL DATE: 1947/04/03TOWNSHIP RANGE SECTION

49N

2W

22

ELEVATION: 692FTDRILL DEPTH: 175FTUTM X UTM YDEPTH TO BED: 25FT

662,743.02 4,318,160.64

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 3 MI N OF HAWK POINTS.W.L. (AFTER CASING): 103**LOG ID:****020573**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTION

49N

2W

22

ELEVATION: 659FTDRILL DEPTH: 300FTUTM X UTM YDEPTH TO BED: 15FT

662,217.01 4,318,490.62

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: formerly in name of Charles Albert - @ HAWK POINTS.W.L. (AFTER CASING):**LOG ID:****023172**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTION

49N

2E

22

ELEVATION: 565FTDRILL DEPTH: 425FTUTM X UTM YDEPTH TO BED: 67FT

693,522.98 4,318,004.17

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
024912

WELL TYPE
Private Well

DRILL DATE: 1966/08/20

TOWNSHIP
49N

RANGE
2W

SECTION
22

ELEVATION: 591FT

DRILL DEPTH: 185FT

DEPTH TO BED: 20FT

UTM X UTM Y
662,410.01 4,317,714.62
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
025490

WELL TYPE
Private Well

DRILL DATE: 1967/08/01

TOWNSHIP
49N

RANGE
2W

SECTION
22

ELEVATION: 680FT

DRILL DEPTH: 180FT

DEPTH TO BED: 50FT

UTM X UTM Y
662,759.02 4,318,025.63
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 2 MI N OF HAWK POINT; 4 GPM @ 115', 1 GPM @ 120', 0.5 GPM @ 165'

S.W.L. (AFTER CASING): 100

LOG ID:
007794

WELL TYPE
Private Well

DRILL DATE: 1942/05/04

TOWNSHIP
49N

RANGE
2W

SECTION
28

ELEVATION: 690FT

DRILL DEPTH: 116FT

DEPTH TO BED: 45FT

UTM X UTM Y
660,413.96 4,315,915.56
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 40

LOG ID:
021806

WELL TYPE
Private Well

DRILL DATE:

TOWNSHIP
49N

RANGE
2E

SECTION
28

ELEVATION: 581FT

DRILL DEPTH: 300FT

DEPTH TO BED: 90FT

UTM X UTM Y
691,049.88 4,317,332.13
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
022242
WELL TYPE

Private Well

DRILL DATE:
TOWNSHIP
RANGE
SECTION
ELEVATION:

586FT

DRILL DEPTH:

375FT

49N

2E

28

UTM X
UTM Y
DEPTH TO BED:

75FT

690,938.88

4,317,394.13

ZONE 15

S.W.L. (BEFORE CASING):
REMARKS:
S.W.L. (AFTER CASING):
LOG ID:
023654
WELL TYPE

Private Well

DRILL DATE:
TOWNSHIP
RANGE
SECTION
ELEVATION:

515FT

DRILL DEPTH:

345FT

49N

2E

28

UTM X
UTM Y
DEPTH TO BED:

90FT

691,249.89

4,316,858.13

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: "CAN'T LOCATE"; 4 MI W OF WINFIELD

S.W.L. (AFTER CASING):

50

LOG ID:
026982
WELL TYPE

Private Well

DRILL DATE:

1969/06/28

TOWNSHIP
RANGE
SECTION
ELEVATION:

562FT

DRILL DEPTH:

365FT

49N

2E

29

UTM X
UTM Y
DEPTH TO BED:

75FT

690,324.85

4,316,766.12

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: NEAR TROY

S.W.L. (AFTER CASING):

110

LOG ID:
010020
WELL TYPE

Private Well

DRILL DATE:

1948/04/01

TOWNSHIP
RANGE
SECTION
ELEVATION:

712FT

DRILL DEPTH:

115FT

49N

2W

30

UTM X
UTM Y
DEPTH TO BED:

35FT

658,470.92

4,316,469.52

ZONE 15

S.W.L. (BEFORE CASING):
REMARKS: 1 MI W OF HAWK POINT ON TRUXTON RD

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
005791

WELL TYPE
Private Well

DRILL DATE: 1939/11/01

TOWNSHIP RANGE SECTION

ELEVATION: 692FT

DRILL DEPTH: 125FT

49N 2W 31

DEPTH TO BED:

UTM X UTM Y
657,025.88 4,315,363.47
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 4 MI NW OF HAWK POINT

S.W.L. (AFTER CASING):

LOG ID:
005375

WELL TYPE
Private Well

DRILL DATE: 1939/02/21

TOWNSHIP RANGE SECTION

ELEVATION: 542FT

DRILL DEPTH: 150FT

49N 2E 32

DEPTH TO BED: 25FT

UTM X UTM Y
689,006.79 4,314,896.08
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
005382

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1939/03/01

TOWNSHIP RANGE SECTION

ELEVATION: 543FT

DRILL DEPTH: 100FT

49N 2E 32

DEPTH TO BED: 5FT

UTM X UTM Y
689,790.82 4,314,948.09
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
005686

WELL TYPE
Private Well

DRILL DATE: 1939/10/01

TOWNSHIP RANGE SECTION

ELEVATION: 731FT

DRILL DEPTH: 150FT

49N 2W 32

DEPTH TO BED: 20FT

UTM X UTM Y
659,440.93 4,314,563.53
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 1.5 MI W OF HAWK POINT

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006620**WELL TYPE

Private Well

DRILL DATE: 1940/11/01TOWNSHIPRANGESECTIONELEVATION:

577FT

DRILL DEPTH: 375FT

49N

2E

32

DEPTH TO BED: 40FTUTM XUTM Y

688,826.79

4,315,728.09

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 75**LOG ID:****008195**WELL TYPE

Private Well

DRILL DATE: 1943/04/15TOWNSHIPRANGESECTIONELEVATION:

751FT

DRILL DEPTH: 240FT

49N

2W

32

DEPTH TO BED: 20FTUTM XUTM Y

659,858.94

4,314,532.54

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of P.S. Anheuser - 2 MI W OF HAWK POINT; LEN
ANDERSON FARM, 3 GPM @ 60', 5 GPM @ 220'S.W.L. (AFTER CASING): 25**LOG ID:****010019**WELL TYPE

Private Well

DRILL DATE: 1948/03/01TOWNSHIPRANGESECTIONELEVATION:

736FT

DRILL DEPTH: 115FT

49N

2W

32

DEPTH TO BED: 35FTUTM XUTM Y

660,176.95

4,315,736.56

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.5 MI W OF HAWK POINT ON TRUXTON RDS.W.L. (AFTER CASING): 48**LOG ID:****024180**WELL TYPE

Private Well

DRILL DATE: 1966/02/12TOWNSHIPRANGESECTIONELEVATION:

734FT

DRILL DEPTH: 485FT

49N

2W

32

DEPTH TO BED: 115FTUTM XUTM Y

659,404.93

4,314,420.53

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008000**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1942/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	750FT
<u>DRILL DEPTH:</u>	150FT	49N	2W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				661,773.98	4,315,318.59
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>	19 MI W OF TROY ON HWY 47, 12 MI N OF WARRENTON, @ HAWK		
<u>S.W.L. (AFTER CASING):</u>	60		POINT			

LOG ID:**019499**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1960/09/02	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	707FT
<u>DRILL DEPTH:</u>	620FT	49N	2W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				661,457.98	4,315,446.59
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	50	FT	<u>REMARKS:</u>	YIELOD - 37 GPM @ 295'		
<u>S.W.L. (AFTER CASING):</u>	108	FT				

LOG ID:**028762**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1997/03/14	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	738FT
<u>DRILL DEPTH:</u>	1,195FT	49N	2W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					664,734.05	4,315,754.67
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>			<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**026891**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1969/07/23	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	695FT
<u>DRILL DEPTH:</u>	355FT	49N	2E	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	65FT				691,336.93	4,323,260.20
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>	170					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027611**WELL TYPE

Private Well

DRILL DATE: 1970/11/11TOWNSHIPRANGESECTIONELEVATION:

624FT

DRILL DEPTH: 265FT

49N

2E

4

DEPTH TO BED: 45FTUTM XUTM Y

691,968.95

4,323,633.21

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: BOTTOMED IN FAULT ZONE (GAP AU GRAS ?)S.W.L. (AFTER CASING): 90**LOG ID:****022241**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

702FT

DRILL DEPTH: 375FT

49N

2E

5

DEPTH TO BED: 30FTUTM XUTM Y

689,497.87

4,324,020.18

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: formerly in name of Leonard MorganS.W.L. (AFTER CASING):**LOG ID:****023902**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

690FT

DRILL DEPTH: 365FT

49N

2E

5

DEPTH TO BED: 95FTUTM XUTM Y

689,480.86

4,322,566.17

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: POOR LOG, NO DATAS.W.L. (AFTER CASING):**LOG ID:****024940**WELL TYPE

Private Well

DRILL DATE: 1966/10/12TOWNSHIPRANGESECTIONELEVATION:

696FT

DRILL DEPTH: 345FT

49N

2E

5

DEPTH TO BED: 40FTUTM XUTM Y

688,670.85

4,324,060.17

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: NEAR WINFIELDS.W.L. (AFTER CASING): 130

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**022555**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

705FT

DRILL DEPTH:

300FT

49N

2E

6

UTM XUTM YDEPTH TO BED:

15FT

687,790.81

4,323,295.15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

RT 1, FOLEY; "CAN'T LOCATE"; USE LOG WITH CAUTION

S.W.L. (AFTER CASING):

150

LOG ID:**006062**WELL TYPE

Private Well

DRILL DATE:

1940/05/20

TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH:

310FT

49N

2E

7

UTM XUTM YDEPTH TO BED:

180FT

688,239.82

4,322,314.15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

OLD WELL DEEPENED 180-310'

S.W.L. (AFTER CASING):

65

LOG ID:**007192**WELL TYPE

Private Well

DRILL DATE:

1941/08/04

TOWNSHIPRANGESECTIONELEVATION:

592FT

DRILL DEPTH:

100FT

49N

2W

8

UTM XUTM YDEPTH TO BED:

10FT

658,879.00

4,321,180.60

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

NEAR HAWK POINT

S.W.L. (AFTER CASING):

20

LOG ID:**027030**WELL TYPE

Private Well

DRILL DATE:

1969/03/31

TOWNSHIPRANGESECTIONELEVATION:

720FT

DRILL DEPTH:

760FT

49N

2E

8

UTM XUTM YDEPTH TO BED:

90FT

688,745.83

4,322,219.15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

ON HWY Y, 5 MI NW OF WINFIELD

S.W.L. (AFTER CASING):

130



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006453**WELL TYPE

Private Well

DRILL DATE: 1940/00/00TOWNSHIP RANGE SECTION

49N

2E

9

ELEVATION: 607FTDRILL DEPTH: 560FTUTM X UTM YDEPTH TO BED: 35FT

691,995.94 4,321,040.18

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 2.5 MI SS OF FOLEY - "NO CaF2"S.W.L. (AFTER CASING):**LOG ID:****027777**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTION

49N

3W

13

ELEVATION: 682FTDRILL DEPTH: 405FTUTM X UTM YDEPTH TO BED:

656,041.91 4,319,853.50

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: "CAN'T LOCATE" - NO SAMPLES LOGGEDS.W.L. (AFTER CASING):**LOG ID:****013883**WELL TYPE

Private Well

DRILL DATE: 1954/00/00TOWNSHIP RANGE SECTION

49N

3W

15

ELEVATION: 703FTDRILL DEPTH: 205FTUTM X UTM YDEPTH TO BED: 50FT

653,185.86 4,320,069.43

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****011977**WELL TYPE

Private Well

DRILL DATE: 1951/00/00TOWNSHIP RANGE SECTION

49N

3W

21

ELEVATION: 714FTDRILL DEPTH: 140FTUTM X UTM YDEPTH TO BED: 35FT

651,437.79 4,318,318.35

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: @ TRUXTONS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**022759**WELL TYPE

Private Well

DRILL DATE: 1964/04/06TOWNSHIPRANGESECTIONELEVATION:

700FT

DRILL DEPTH: 317FT

49N

3W

21

DEPTH TO BED: 10FTUTM XUTM Y

651,214.79

4,318,437.35

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 85**LOG ID:****005695**WELL TYPE

Private Well

DRILL DATE: 1939/00/00TOWNSHIPRANGESECTIONELEVATION:

637FT

DRILL DEPTH: 135FT

49N

3W

9

DEPTH TO BED: 25FTUTM XUTM Y

650,847.86

4,322,093.44

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 50**LOG ID:****005098**WELL TYPE

Private Well

DRILL DATE: 1938/10/01TOWNSHIPRANGESECTIONELEVATION:

736FT

DRILL DEPTH: 410FT

50N

1W

1

DEPTH TO BED: 25FTUTM XUTM Y

676,676.58

4,332,596.15

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: Driller's Log AttachedS.W.L. (AFTER CASING): 150**LOG ID:****013183**WELL TYPE

Private Well

DRILL DATE: 1953/12/01TOWNSHIPRANGESECTIONELEVATION:

756FT

DRILL DEPTH: 280FT

50N

1W

1

DEPTH TO BED: 10FTUTM XUTM Y

676,445.59

4,333,222.16

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.25 MI E OF AUBURN JCT OF ELSBERRY RD & HWY 61, 1ST HS
ON LFTS.W.L. (AFTER CASING): 135



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019782**WELL TYPE

Private Well

DRILL DATE: 1961/03/31TOWNSHIPRANGESECTIONELEVATION:

701FT

DRILL DEPTH: 310FT

50N

1E

1

DEPTH TO BED: 15FTUTM XUTM Y

685,407.83

4,333,543.25

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 6 MI W OF ELSBERRYS.W.L. (AFTER CASING): 200**LOG ID:****024914**WELL TYPE

Private Well

DRILL DATE: 1966/09/20TOWNSHIPRANGESECTIONELEVATION:

768FT

DRILL DEPTH: 345FT

50N

1W

1

DEPTH TO BED: 25FTUTM XUTM Y

675,635.56

4,332,664.14

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NEAR SILEXS.W.L. (AFTER CASING):**LOG ID:****008805**WELL TYPE

Private Well

DRILL DATE: 1945/03/22TOWNSHIPRANGESECTIONELEVATION:

702FT

DRILL DEPTH: 252FT

50N

1W

10

DEPTH TO BED: 25FTUTM XUTM Y

672,144.46

4,332,074.09

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: PART OF ELLIS TRACTS.W.L. (AFTER CASING): 90**LOG ID:****010028**WELL TYPE

Private Well

DRILL DATE: 1947/09/01TOWNSHIPRANGESECTIONELEVATION:

756FT

DRILL DEPTH: 278FT

50N

1W

12

DEPTH TO BED: 35FTUTM XUTM Y

676,039.56

4,331,915.14

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 10.5 MI N OF TROY ON HWY 61S.W.L. (AFTER CASING): 70



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011784**WELL TYPE

Private Well

DRILL DATE: 1951/12/12TOWNSHIPRANGESECTIONELEVATION:

765FT

DRILL DEPTH: 134FT

50N

1W

12

DEPTH TO BED: 15FTUTM XUTM Y

676,267.55

4,330,974.12

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1.1 MI S OF AUBURN JCT, TROY, MO.S.W.L. (AFTER CASING): 75**LOG ID:****028562**WELL TYPE

Private Well

DRILL DATE: 1973/10/30TOWNSHIPRANGESECTIONELEVATION:

850FT

DRILL DEPTH: 505FT

50N

1E

12

DEPTH TO BED: 185FTUTM XUTM Y

686,179.82

4,330,823.23

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 0.3 MI FROM HWY JJ, 6.2 MI E TO HWY 79 ON JJS.W.L. (AFTER CASING):**LOG ID:****011246**WELL TYPE

Private Well

DRILL DATE: 1949/02/01TOWNSHIPRANGESECTIONELEVATION:

725FT

DRILL DEPTH: 525FT

50N

1W

13

DEPTH TO BED: 50FTUTM XUTM Y

676,608.53

4,329,601.11

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 9 MI N OF TROY, 2 MI S OF AUBURN JUNCTIONS.W.L. (AFTER CASING): 120**LOG ID:****026689**WELL TYPE

Private Well

DRILL DATE: 1968/07/18TOWNSHIPRANGESECTIONELEVATION:

816FT

DRILL DEPTH: 450FT

50N

1E

13

DEPTH TO BED: 65FTUTM XUTM Y

686,623.83

4,330,563.23

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NEAR ELSBERRYS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**003746**WELL TYPE

Private Well

DRILL DATE: 1936/08/01TOWNSHIP RANGE SECTIONELEVATION: 742FTDRILL DEPTH: 460FT

50N 1W 14

DEPTH TO BED: 40FTUTM X UTM Y
675,212.50 4,329,852.10
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: Driller's Log AttachedS.W.L. (AFTER CASING): 143**LOG ID:****009370**WELL TYPE

Private Well

DRILL DATE: 1946/07/12TOWNSHIP RANGE SECTIONELEVATION: 821FTDRILL DEPTH: 450FT

50N 1E 15

DEPTH TO BED: 30FTUTM X UTM Y
682,039.70 4,330,373.18
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 2 MI E OF OKETAS.W.L. (AFTER CASING): 240**LOG ID:****022071**WELL TYPE

Private Well

DRILL DATE: 1963/07/07TOWNSHIP RANGE SECTIONELEVATION: 669FTDRILL DEPTH: 502FT

50N 1W 15

DEPTH TO BED: 35FTUTM X UTM Y
673,492.46 4,330,152.08
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 2 MI NE OF BRISCOE, W OF HWY 61S.W.L. (AFTER CASING): 60**LOG ID:****007483**WELL TYPE

Private Well

DRILL DATE: 1941/00/00TOWNSHIP RANGE SECTIONELEVATION: 576FTDRILL DEPTH: 575FT

50N 1W 18

DEPTH TO BED: 70FTUTM X UTM Y
667,766.34 4,330,064.97
ZONE 15S.W.L. (BEFORE CASING):REMARKS: IN BARN LOT LW COR OF ROAD JCT; QUIT FLOWING 08/1942S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
012155

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1949/08/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	749FT
<u>DRILL DEPTH:</u>	443FT	50N	1E	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				678,293.58	4,329,170.12
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	O'KETE; 10.5 MI NE OF TROY			
<u>S.W.L. (AFTER CASING):</u>	90				ZONE 15	

LOG ID:
024690

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1966/06/17	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	698FT
<u>DRILL DEPTH:</u>	595FT	50N	1E	19	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	85FT				677,652.53	4,327,362.09
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	formerly in name of T. Hebron			
<u>S.W.L. (AFTER CASING):</u>					ZONE 15	

LOG ID:
017613

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1958/09/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	781FT
<u>DRILL DEPTH:</u>	400FT	50N	1E	2	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				684,307.80	4,333,690.24
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	formerly in name of C. Hammock			
<u>S.W.L. (AFTER CASING):</u>	240				ZONE 15	

LOG ID:
019053

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	748FT
<u>DRILL DEPTH:</u>	260FT	50N	1E	20	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				679,986.60	4,327,336.11
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	10 MI NE OF TROY			
<u>S.W.L. (AFTER CASING):</u>	65				ZONE 15	



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**005682**WELL TYPE

Private Well

DRILL DATE: 1939/00/00TOWNSHIPRANGESECTIONELEVATION:

766FT

DRILL DEPTH: 230FT

50N

1E

21

DEPTH TO BED: 35FTUTM XUTM Y

680,308.62

4,327,890.13

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 60**LOG ID:****008984**WELL TYPE

Private Well

DRILL DATE: 1945/08/28TOWNSHIPRANGESECTIONELEVATION:

568FT

DRILL DEPTH: 335FT

50N

1W

22

DEPTH TO BED: 35FTUTM XUTM Y

672,027.39

4,328,533.03

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of Harry A. Spiker - 0.75 MI N OF BRISCOES.W.L. (AFTER CASING): 25**LOG ID:****023662**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

625FT

DRILL DEPTH: 500FT

50N

1W

22

DEPTH TO BED: 35FTUTM XUTM Y

672,519.39

4,328,112.04

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: formerly in name of Wallace - 1 MI W OF BRISCOE ON HWY 2S.W.L. (AFTER CASING):**LOG ID:****014465**WELL TYPE

Private Well

DRILL DATE: 1956/00/00TOWNSHIPRANGESECTIONELEVATION:

726FT

DRILL DEPTH: 603FT

50N

1W

24

DEPTH TO BED: 25FTUTM XUTM Y

675,671.49

4,328,422.08

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 8 MI N OF TROY ON HWY 61; "HENRY CREECH"S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**024676**WELL TYPE

Private Well

DRILL DATE: 1966/05/18TOWNSHIPRANGESECTIONELEVATION:

654FT

DRILL DEPTH: 500FT

50N

1W

24

DEPTH TO BED: 40FTUTM XUTM Y

676,304.50

4,327,856.08

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****008982**WELL TYPE

Private Well

DRILL DATE: 1945/09/11TOWNSHIPRANGESECTIONELEVATION:

714FT

DRILL DEPTH: 135FT

50N

1W

25

DEPTH TO BED: 50FTUTM XUTM Y

675,647.45

4,326,110.05

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 7 MI N OF TROY ON HWY 61S.W.L. (AFTER CASING): 54**LOG ID:****007273**WELL TYPE

Private Well

DRILL DATE: 1941/06/01TOWNSHIPRANGESECTIONELEVATION:

705FT

DRILL DEPTH: 312FT

50N

1W

26

DEPTH TO BED: 60FTUTM XUTM Y

675,185.43

4,326,132.04

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 5 MI N OF TROY ON W SD HWY 61S.W.L. (AFTER CASING): 100**LOG ID:****007481**WELL TYPE

Private Well

DRILL DATE: 1941/10/24TOWNSHIPRANGESECTIONELEVATION:

668FT

DRILL DEPTH: 306FT

50N

1W

26

DEPTH TO BED: 25FTUTM XUTM Y

674,195.41

4,326,536.04

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of Winston L. KirbyS.W.L. (AFTER CASING): 100



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008983**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1945/07/25	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	684FT
<u>DRILL DEPTH:</u>	204FT	50N	1E	27	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				683,265.69	4,326,324.14
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	70	<u>REMARKS:</u>	1.5 MI N OF E SNOW HILL			

LOG ID:**003760**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1936/09/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	765FT
<u>DRILL DEPTH:</u>	350FT	50N	1E	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	90FT				681,970.74	4,333,466.22
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	150					

LOG ID:**004594**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1938/01/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	639FT
<u>DRILL DEPTH:</u>	732FT	50N	1E	31	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	70FT				678,430.51	4,324,673.06
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	CHASTAIN			
<u>S.W.L. (AFTER CASING):</u>	66					

LOG ID:**007958**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1941/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	610FT
<u>DRILL DEPTH:</u>	315FT	50N	1W	31	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				667,503.25	4,325,648.89
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	50					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**010023**WELL TYPE

Private Well

DRILL DATE: 1948/01/01TOWNSHIPRANGESECTIONELEVATION:

660FT

DRILL DEPTH: 78FT

50N

1E

33

DEPTH TO BED: 15FTUTM XUTM Y

681,141.61

4,325,571.10

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 10 MI NE OF TROYS.W.L. (AFTER CASING): 20**LOG ID:****027275**WELL TYPE

Private Well

DRILL DATE: 1969/10/03TOWNSHIPRANGESECTIONELEVATION:

624FT

DRILL DEPTH: 595FT

50N

1W

33

DEPTH TO BED: 65FTUTM XUTM Y

670,909.29

4,324,452.94

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: NEAR TROYS.W.L. (AFTER CASING): 85**LOG ID:****010298**WELL TYPE

Outcrop Description

DRILL DATE: 1948/08/09TOWNSHIPRANGESECTIONELEVATION:

615FT

DRILL DEPTH: 14FT

50N

1E

34

DEPTH TO BED:UTM XUTM Y

683,341.67

4,324,222.11

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: STOP 26, KGS 15TH ANN FIELD CONF.S.W.L. (AFTER CASING):**LOG ID:****012166**WELL TYPE

Private Well

DRILL DATE: 1949/04/01TOWNSHIPRANGESECTIONELEVATION:

718FT

DRILL DEPTH: 844FT

50N

1E

34

DEPTH TO BED: 110FTUTM XUTM Y

682,169.63

4,324,351.10

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 9 MI NE OF TROYS.W.L. (AFTER CASING): 73



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019058**WELL TYPE

Private Well

DRILL DATE: 1957/04/01TOWNSHIP RANGE SECTIONELEVATION: 683FTDRILL DEPTH: 445FT

50N 1E 34

DEPTH TO BED: 15FTUTM X UTM Y
682,225.63 4,324,098.10
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 8 MI NE OF TROYS.W.L. (AFTER CASING): 32**LOG ID:****023657**WELL TYPE

Private Well

DRILL DATE: 1965/06/13TOWNSHIP RANGE SECTIONELEVATION: 719FTDRILL DEPTH: 375FT

50N 1E 34

DEPTH TO BED: 20FTUTM X UTM Y
681,957.63 4,324,707.10
ZONE 15S.W.L. (BEFORE CASING):REMARKS: formerly in name of Shirley - N OF TROY ON HWY KKS.W.L. (AFTER CASING):**LOG ID:****023669**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTIONELEVATION: 719FTDRILL DEPTH: 275FT

50N 1E 34

DEPTH TO BED: 35FTUTM X UTM Y
682,092.64 4,325,339.11
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 100**LOG ID:****026909**WELL TYPE

Private Well

DRILL DATE: 1969/08/01TOWNSHIP RANGE SECTIONELEVATION: 680FTDRILL DEPTH: 300FT

50N 1E 34

DEPTH TO BED: 20FTUTM X UTM Y
683,145.66 4,324,349.11
ZONE 15S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
003984

WELL TYPE
Private Well

DRILL DATE: 1936/12/01

TOWNSHIP RANGE SECTION

ELEVATION: 674FT

DRILL DEPTH: 375FT

50N 1E 35

DEPTH TO BED: 50FT

UTM X UTM Y
684,939.73 4,324,512.14
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 81

LOG ID:
013241

WELL TYPE
Private Well

DRILL DATE: 1952/10/01

TOWNSHIP RANGE SECTION

ELEVATION: 642FT

DRILL DEPTH: 327FT

50N 1W 35

DEPTH TO BED: 10FT

UTM X UTM Y
674,053.38 4,325,191.02
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 1 MI E OF DAVIS

S.W.L. (AFTER CASING): 80

LOG ID:
024928

WELL TYPE
Private Well

DRILL DATE: 1966/09/13

TOWNSHIP RANGE SECTION

ELEVATION: 685FT

DRILL DEPTH: 305FT

50N 1W 35

DEPTH TO BED: 45FT

UTM X UTM Y
675,276.41 4,324,366.02
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
025348

WELL TYPE
Private Well

DRILL DATE: 1967/05/10

TOWNSHIP RANGE SECTION

ELEVATION: 670FT

DRILL DEPTH: 225FT

50N 1E 35

DEPTH TO BED: 85FT

UTM X UTM Y
683,961.70 4,325,017.13
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NEAR FOLEY

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008204**WELL TYPE

Private Well

DRILL DATE: 1943/00/00TOWNSHIPRANGESECTIONELEVATION:

696FT

DRILL DEPTH: 110FT

50N

1W

36

DEPTH TO BED: 20FTUTM XUTM Y

676,283.44

4,324,257.03

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: "CAN'T LOCATE"S.W.L. (AFTER CASING):**LOG ID:****008986**WELL TYPE

Private Well

DRILL DATE: 1945/09/05TOWNSHIPRANGESECTIONELEVATION:

709FT

DRILL DEPTH: 165FT

50N

1W

36

DEPTH TO BED: 40FTUTM XUTM Y

675,923.44

4,324,939.03

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 5.5 MI N OF TROY ON HWY 61S.W.L. (AFTER CASING): 55**LOG ID:****009001**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

700FT

DRILL DEPTH: 150FT

50N

1W

36

DEPTH TO BED: 60FTUTM XUTM Y

675,931.44

4,325,234.04

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****010992**WELL TYPE

Private Well

DRILL DATE: 1945/03/25TOWNSHIPRANGESECTIONELEVATION:

705FT

DRILL DEPTH: 493FT

50N

1E

36

DEPTH TO BED: 325FTUTM XUTM Y

685,787.75

4,324,172.14

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: SAMPLES TO 375' LOST BY DRILLERS.W.L. (AFTER CASING): 150



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**023253**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

696FT

DRILL DEPTH:

400FT

50N

1W

36

DEPTH TO BED:

125FT

UTM XUTM Y

676,283.44

4,324,257.03

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: "CAN'T LOCATE"S.W.L. (AFTER CASING):**LOG ID:****024854**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1967/02/01

TOWNSHIPRANGESECTIONELEVATION:

676FT

DRILL DEPTH:

646FT

50N

1W

36

DEPTH TO BED:

80FT

UTM XUTM Y

677,044.47

4,324,419.04

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

90

LOG ID:**027761**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

696FT

DRILL DEPTH:

505FT

50N

1W

36

DEPTH TO BED:UTM XUTM Y

676,283.44

4,324,257.03

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO SAMPLES LOGGED OR TOPS GIVENS.W.L. (AFTER CASING):**LOG ID:****003772**WELL TYPE

Private Well

DRILL DATE:

1936/08/05

TOWNSHIPRANGESECTIONELEVATION:

784FT

DRILL DEPTH:

310FT

50N

1E

6

DEPTH TO BED:

10FT

UTM XUTM Y

677,064.61

4,333,389.17

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 11 MI N OF TROY ON HWY 61
Driller's Log AttachedS.W.L. (AFTER CASING):

200



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**003945**WELL TYPE

Private Well

DRILL DATE: 1936/10/22TOWNSHIP RANGE SECTIONELEVATION: 789FTDRILL DEPTH: 315FT

50N 1E 6

DEPTH TO BED: 20FTUTM X UTM Y
677,165.61 4,333,433.17
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: BETWEEN SILEX & ELSBERRY
Driller's Log AttachedS.W.L. (AFTER CASING): 180**LOG ID:****005917**WELL TYPE

Private Well

DRILL DATE: 1939/10/09TOWNSHIP RANGE SECTIONELEVATION: 785FTDRILL DEPTH: 515FT

50N 1E 6

DEPTH TO BED: 20FTUTM X UTM Y
677,114.61 4,333,408.17
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 100' W OF #1 GLADNEY
Driller's Log AttachedS.W.L. (AFTER CASING):**LOG ID:****025336**WELL TYPE

Community Public Well

DRILL DATE: 1968/01/06TOWNSHIP RANGE SECTIONELEVATION: 652FTDRILL DEPTH: 545FT

50N 1W 6

DEPTH TO BED: 25FTUTM X UTM Y
667,785.39 4,332,886.02
ZONE 15S.W.L. (BEFORE CASING): 125 FTREMARKS:S.W.L. (AFTER CASING): 124 FT**LOG ID:****007011**WELL TYPE

Private Well

DRILL DATE: 1941/04/01TOWNSHIP RANGE SECTIONELEVATION: 554FTDRILL DEPTH: 325FT

50N 1W 7

DEPTH TO BED: 10FTUTM X UTM Y
668,473.38 4,331,738.01
ZONE 15S.W.L. (BEFORE CASING):REMARKS: @ SILEX; WATER HAS SOME SULPHUR SMELLS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026520**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

508FT

DRILL DEPTH:

375FT

50N

1W

7

UTM XUTM YDEPTH TO BED:

50FT

667,752.37

4,332,043.00

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

MAIN ST IN SILEX, W SD OF TOWN, S SD OF ST

S.W.L. (AFTER CASING):

8

LOG ID:**009356**WELL TYPE

Private Well

DRILL DATE:

1946/03/07

TOWNSHIPRANGESECTIONELEVATION:

678FT

DRILL DEPTH:

395FT

50N

1W

9

UTM XUTM YDEPTH TO BED:

105FT

671,273.44

4,332,147.07

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

OLD WELL DEEPENED 60-395'

S.W.L. (AFTER CASING):

125

LOG ID:**026502**WELL TYPE

Private Well

DRILL DATE:

1968/04/17

TOWNSHIPRANGESECTIONELEVATION:

686FT

DRILL DEPTH:

220FT

50N

1W

9

UTM XUTM YDEPTH TO BED:

65FT

671,781.45

4,332,081.08

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

SCANNED - NO SAMPLES LOGGED - TOPS ONLY

S.W.L. (AFTER CASING):**LOG ID:****027171**WELL TYPE

Private Well

DRILL DATE:

1970/02/05

TOWNSHIPRANGESECTIONELEVATION:

636FT

DRILL DEPTH:

345FT

50N

2W

10

UTM XUTM YDEPTH TO BED:

65FT

663,540.29

4,332,194.92

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

NEAR SILEX; YIELDS - 4 GPM @ 75', 2 @ 135-45', 1.5 @ 320', 2.5 @ 340'

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**009950**WELL TYPE

Private Well

DRILL DATE: 1943/05/01TOWNSHIP RANGE SECTIONELEVATION: 644FTDRILL DEPTH: 235FT

50N 2W 13

DEPTH TO BED: 25FTUTM X UTM Y
665,451.30 4,330,266.93
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: BETWEEN SILEX & MILLWOODS.W.L. (AFTER CASING): 60**LOG ID:****027287**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTIONELEVATION: 572FTDRILL DEPTH: 245FT

50N 2E 15

DEPTH TO BED: 65FTUTM X UTM Y
692,540.00 4,329,826.29
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 98**LOG ID:****023535**WELL TYPE

Private Well

DRILL DATE: 1965/05/29TOWNSHIP RANGE SECTIONELEVATION: 945FTDRILL DEPTH: 565FT

50N 2E 18

DEPTH TO BED: 40FTUTM X UTM Y
687,946.87 4,330,346.24
ZONE 15S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****012159**WELL TYPE

Private Well

DRILL DATE: 1940/03/01TOWNSHIP RANGE SECTIONELEVATION: 642FTDRILL DEPTH: 385FT

50N 2E 22

DEPTH TO BED: 10FTUTM X UTM Y
692,608.00 4,328,860.28
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 4 MI S OF ELSBERG ON HWY 79S.W.L. (AFTER CASING): 200

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019054**WELL TYPE

Private Well

DRILL DATE: 1955/00/00TOWNSHIP RANGE SECTIONELEVATION: 695FTDRILL DEPTH: 450FT

50N 2E 22

DEPTH TO BED: 15FTUTM X UTM Y
692,595.99 4,328,167.27
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 1 MI N OF FOLEY ON HWY 79S.W.L. (AFTER CASING): 140**LOG ID:****005420**WELL TYPE

Private Well

DRILL DATE: 1939/06/08TOWNSHIP RANGE SECTIONELEVATION: 675FTDRILL DEPTH: 216FT

50N 2W 23

DEPTH TO BED: 35FTUTM X UTM Y
663,851.24 4,328,903.87
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 0.5 MI S OF MILLWOOD
Driller's Log IncludedS.W.L. (AFTER CASING): 65**LOG ID:****005908**WELL TYPE

Private Well

DRILL DATE: 1940/00/00TOWNSHIP RANGE SECTIONELEVATION: 658FTDRILL DEPTH: 114FT

50N 2W 23

DEPTH TO BED: 25FTUTM X UTM Y
663,942.22 4,327,802.85
ZONE 15S.W.L. (BEFORE CASING):REMARKS: @ MILLWOODS.W.L. (AFTER CASING):**LOG ID:****007975**WELL TYPE

Private Well

DRILL DATE: 1942/07/01TOWNSHIP RANGE SECTIONELEVATION: 440FTDRILL DEPTH: 315FT

50N 2E 24

DEPTH TO BED: 140FTUTM X UTM Y
695,380.06 4,328,419.29
ZONE 15S.W.L. (BEFORE CASING):REMARKS: @ KINGS LAKE; WATER HIGH IN SULPHURS.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
024913

WELL TYPE
Private Well

DRILL DATE: 1966/08/09 TOWNSHIP 50N RANGE 2W SECTION 24 ELEVATION: 634FT
DRILL DEPTH: 185FT UTM X 666,344.28 UTM Y 4,328,398.91
DEPTH TO BED: 60FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
006181

WELL TYPE
Private Well

DRILL DATE: 1940/07/17 TOWNSHIP 50N RANGE 2E SECTION 26 ELEVATION: 642FT
DRILL DEPTH: 350FT UTM X 694,018.03 UTM Y 4,326,795.27
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1.5 MI NW OF FOLEY
S.W.L. (AFTER CASING): 190

LOG ID:
009875

WELL TYPE
Private Well

DRILL DATE: 1946/10/28 TOWNSHIP 50N RANGE 2E SECTION 26 ELEVATION: 676FT
DRILL DEPTH: 432FT UTM X 693,681.02 UTM Y 4,327,454.27
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of Pauline Wiggington - 1.5 MI NW OF FOLEY, 0.25
S.W.L. (AFTER CASING): 210 MI E OF HWY 79

LOG ID:
026478

WELL TYPE
Private Well

DRILL DATE: 1968/08/20 TOWNSHIP 50N RANGE 2E SECTION 27 ELEVATION: 686FT
DRILL DEPTH: 325FT UTM X 693,414.02 UTM Y 4,327,498.27
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION OR CONSTRUCTION DATA
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026781**WELL TYPE

Private Well

DRILL DATE: 1969/02/04TOWNSHIP RANGE SECTION

50N

2E

27

ELEVATION: 680FTDRILL DEPTH: 345FTDEPTH TO BED: 35FTUTM XUTM Y

693,482.02 4,327,438.27

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 4 MI N OF FOLEYS.W.L. (AFTER CASING):**LOG ID:****008661**WELL TYPE

Private Well

DRILL DATE: 1944/07/24TOWNSHIP RANGE SECTION

50N

2W

29

ELEVATION: 710FTDRILL DEPTH: 260FTDEPTH TO BED: 75FTUTM XUTM Y

658,903.08 4,325,816.70

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: ON HWY D, 7 MI N OF HAWK POINTS.W.L. (AFTER CASING): 110**LOG ID:****013154**WELL TYPE

Private Well

DRILL DATE: 1954/05/01TOWNSHIP RANGE SECTION

50N

2E

29

ELEVATION: 526FTDRILL DEPTH: 224FTDEPTH TO BED: 5FTUTM XUTM Y

689,926.90 4,326,993.22

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 4.5 MI W OF FOLEYS.W.L. (AFTER CASING): 22**LOG ID:****008797**WELL TYPE

Private Well

DRILL DATE: 1945/02/17TOWNSHIP RANGE SECTION

50N

2W

3

ELEVATION: 661FTDRILL DEPTH: 165FTDEPTH TO BED: 45FTUTM XUTM Y

662,576.28 4,332,392.91

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1.5 MI NW OF MILLWOOD ON CORSO RDS.W.L. (AFTER CASING): 80



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**023014**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

600FT

DRILL DEPTH:

215FT

50N

2E

33

DEPTH TO BED:

10FT

UTM XUTM Y

690,838.92

4,324,883.21

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 5 MI W OF FOLEYS.W.L. (AFTER CASING):

100

LOG ID:**019554**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

677FT

DRILL DEPTH:

300FT

50N

2E

5

DEPTH TO BED:

40FT

UTM XUTM Y

689,827.94

4,333,563.30

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: formerly in name of R. Crimiens - NO PRODUCTION OR
CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****022072**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

620FT

DRILL DEPTH:

295FT

50N

2E

6

DEPTH TO BED:

10FT

UTM XUTM Y

686,774.86

4,333,923.27

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: formerly in name of Laydgraef - 4 MI SW OF ELSBERRYS.W.L. (AFTER CASING):

60

LOG ID:**027394**WELL TYPE

Private Well

DRILL DATE:

1969/12/01

TOWNSHIPRANGESECTIONELEVATION:

608FT

DRILL DEPTH:

285FT

50N

2E

6

DEPTH TO BED:

25FT

UTM XUTM Y

687,865.88

4,332,635.27

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NEAR ELSBERRYS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
026493

WELL TYPE
Private Well

DRILL DATE: 1968/08/20

TOWNSHIP RANGE SECTION

ELEVATION: 744FT

DRILL DEPTH: 445FT

50N 2E 8

DEPTH TO BED: 85FT

UTM X UTM Y
689,108.92 4,332,566.28
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):

LOG ID:
026386

WELL TYPE
Private Well

DRILL DATE: 1967/10/24

TOWNSHIP RANGE SECTION

ELEVATION: 704FT

DRILL DEPTH: 225FT

50N 3W 11

DEPTH TO BED: 105FT

UTM X UTM Y
653,699.10 4,332,135.73
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 2 MI W OF CORSO; YIELDS - 1 GPM @ 125', 1 @ 180', 8 @ 200', 5 @ 215'

S.W.L. (AFTER CASING): 65

LOG ID:
010997

WELL TYPE
Private Well

DRILL DATE: 1946/02/27

TOWNSHIP RANGE SECTION

ELEVATION: 665FT

DRILL DEPTH: 105FT

50N 3W 13

DEPTH TO BED: 45FT

UTM X UTM Y
655,319.09 4,329,873.71
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 2.5 MI NE OF OLNEY, 0.5 MI OFF RD

S.W.L. (AFTER CASING): 40

LOG ID:
024726

WELL TYPE
Private Well

DRILL DATE: 1966/06/01

TOWNSHIP RANGE SECTION

ELEVATION: 715FT

DRILL DEPTH: 133FT

50N 3W 22

DEPTH TO BED: 15FT

UTM X UTM Y
652,730.01 4,328,217.62
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: RR, OLNEY - "CAN'T LOCATE"

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
027551

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 704FT
50N 3W 23
DRILL DEPTH: 225FT
DEPTH TO BED: 75FT UTM X UTM Y
655,120.07 4,329,001.69
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 60

LOG ID:
021811

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 690FT
50N 3W 3
DRILL DEPTH: 155FT
DEPTH TO BED: 60FT UTM X UTM Y
652,727.10 4,333,286.74
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: FORMER OWNER JOHN L. LINEBERRY
S.W.L. (AFTER CASING):

LOG ID:
006042

WELL TYPE
Private Well

DRILL DATE: 1940/00/00 TOWNSHIP RANGE SECTION ELEVATION: 608FT
50N 3W 33
DRILL DEPTH: 125FT
DEPTH TO BED: 20FT UTM X UTM Y
651,899.93 4,324,897.52
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: SECTION QUESTIONED; 0.5 MI N OF CUIVRE RIVER
S.W.L. (AFTER CASING):

LOG ID:
008389

WELL TYPE
Private Well

DRILL DATE: 1943/00/00 TOWNSHIP RANGE SECTION ELEVATION:
50N 3W 35
DRILL DEPTH: 395FT
DEPTH TO BED: 25FT UTM X UTM Y
654,091.97 4,324,655.56
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 2 MI N, 1 MI W OF OLD MONROE
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008399**WELL TYPE

Private Well

DRILL DATE: 1943/09/27TOWNSHIPRANGESECTIONELEVATION:

705FT

DRILL DEPTH: 305FT

50N

3W

35

DEPTH TO BED: 95FTUTM XUTM Y

654,100.97

4,324,664.57

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of Londo Luelf - 3 MI SW OF OLNEYS.W.L. (AFTER CASING): 25**LOG ID:****008279**WELL TYPE

Oil Well

DRILL DATE: 1943/00/00TOWNSHIPRANGESECTIONELEVATION:

805FT

DRILL DEPTH: 815FT

51N

1W

10

DEPTH TO BED: 50FTUTM XUTM Y

672,900.65

4,341,270.24

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: #3; 2 MI S OF EOLIA; DRY & ABANDONEDS.W.L. (AFTER CASING): 200**LOG ID:****006545**WELL TYPE

Private Well

DRILL DATE: 1940/00/00TOWNSHIPRANGESECTIONELEVATION:

800FT

DRILL DEPTH: 225FT

51N

1W

11

DEPTH TO BED: 77FTUTM XUTM Y

673,831.68

4,341,809.26

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 3 MI S OF EOLIAS.W.L. (AFTER CASING): 118**LOG ID:****024782**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1966/07/17TOWNSHIPRANGESECTIONELEVATION:

830FT

DRILL DEPTH: 385FT

51N

1W

14

DEPTH TO BED: 45FTUTM XUTM Y

673,999.64

4,339,784.23

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: LLOYD BROWN, OWNER, NEAR WHITESIDES.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
026923

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1969/02/01	<u>TOWNSHIP</u>	51N	<u>RANGE</u>	1E	<u>SECTION</u>	17	<u>ELEVATION:</u>	750FT
<u>DRILL DEPTH:</u>	345FT							<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT							679,049.75	4,339,718.27
								ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT		<u>REMARKS:</u>	10 MI W OF ELSBERRY ON HWY F				
<u>S.W.L. (AFTER CASING):</u>	180								

LOG ID:
006544

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1940/11/01	<u>TOWNSHIP</u>	51N	<u>RANGE</u>	1W	<u>SECTION</u>	2	<u>ELEVATION:</u>	788FT
<u>DRILL DEPTH:</u>	205FT							<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	112FT							674,106.69	4,342,281.27
								ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT		<u>REMARKS:</u>	OLD WELL TO 112'; NORTN WELL				
<u>S.W.L. (AFTER CASING):</u>	110								

LOG ID:
002570

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1932/06/01	<u>TOWNSHIP</u>	51N	<u>RANGE</u>	1W	<u>SECTION</u>	30	<u>ELEVATION:</u>	692FT
<u>DRILL DEPTH:</u>	450FT							<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	175FT							668,553.46	4,335,523.08
								ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>				<u>REMARKS:</u>	NE OF SILEX				
<u>S.W.L. (AFTER CASING):</u>									

LOG ID:
013075

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1954/07/01	<u>TOWNSHIP</u>	51N	<u>RANGE</u>	2W	<u>SECTION</u>	20	<u>ELEVATION:</u>	663FT
<u>DRILL DEPTH:</u>	175FT							<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT							660,241.33	4,337,627.97
								ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT		<u>REMARKS:</u>	2 MI SE OF LOUISVILLE				
<u>S.W.L. (AFTER CASING):</u>	90								



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**021400**WELL TYPE

Private Well

DRILL DATE: 1962/07/12TOWNSHIPRANGESECTIONELEVATION:

713FT

DRILL DEPTH: 540FT

51N

2W

23

DEPTH TO BED: 15FTUTM XUTM Y

664,197.42

4,338,202.05

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:formerly in name of Ellis Feith - YIELD - 15 GPM @ 300'; FORMER
OWNER ELLIS FEITHS.W.L. (AFTER CASING): 125**LOG ID:****010441**WELL TYPE

Private Well

DRILL DATE: 1948/03/01TOWNSHIPRANGESECTIONELEVATION:

617FT

DRILL DEPTH: 325FT

51N

2W

26

DEPTH TO BED: 285FTUTM XUTM Y

665,293.40

4,335,851.03

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:OLD WELL DEEPENED 325-500' (SEE #10924 FOR COMPLETE
LOG)S.W.L. (AFTER CASING):**LOG ID:****010924**WELL TYPE

Private Well

DRILL DATE: 1948/03/01TOWNSHIPRANGESECTIONELEVATION:

617FT

DRILL DEPTH: 500FT

51N

2W

26

DEPTH TO BED: 285FTUTM XUTM Y

665,233.40

4,335,839.02

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:OLD WELL (#10441) DEEPENED 325-500' (SEE #10924 FOR
COMPLETE LOG)S.W.L. (AFTER CASING):**LOG ID:****024103**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

665FT

DRILL DEPTH: 225FT

51N

2W

26

DEPTH TO BED: 55FTUTM XUTM Y

664,478.39

4,336,509.02

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

"WRONG LOCATION - DOES NOT FIT MAP"

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
008795

WELL TYPE
Private Well

DRILL DATE: 1942/04/18

TOWNSHIP RANGE SECTION

ELEVATION: 645FT

DRILL DEPTH: 215FT

51N 2W 30

DEPTH TO BED: 45FT

UTM X UTM Y
656,876.23 4,335,676.87
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: ON UPLAND, 1.5 MI E OF CORSO

S.W.L. (AFTER CASING): 75

LOG ID:
020084

WELL TYPE
Private Well

DRILL DATE: 1961/05/24

TOWNSHIP RANGE SECTION

ELEVATION: 609FT

DRILL DEPTH: 365FT

51N 2E 30

DEPTH TO BED: 35FT

UTM X UTM Y
687,656.91 4,337,285.32
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 4 MI NW OF ELSBERRY

S.W.L. (AFTER CASING): 100

LOG ID:
008794

WELL TYPE
Private Well

DRILL DATE: 1942/08/20

TOWNSHIP RANGE SECTION

ELEVATION: 678FT

DRILL DEPTH: 240FT

51N 2W 31

DEPTH TO BED: 85FT

UTM X UTM Y
656,940.22 4,335,006.86
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 1 MI E OF CORSO

S.W.L. (AFTER CASING): 85

LOG ID:
012160

WELL TYPE
Private Well

DRILL DATE:

TOWNSHIP RANGE SECTION

ELEVATION: 571FT

DRILL DEPTH: 373FT

51N 2E 32

DEPTH TO BED: 15FT

UTM X UTM Y
689,851.95 4,335,419.32
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 2.5 MI SW OF ELSBERRY

S.W.L. (AFTER CASING): 72

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
024934

WELL TYPE
Private Well

DRILL DATE: 1966/09/22

TOWNSHIP RANGE SECTION

ELEVATION: 652FT

DRILL DEPTH: 185FT

51N 2W 32

DEPTH TO BED: 115FT

UTM X UTM Y
659,397.26 4,334,515.89
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NEAR SILEX

S.W.L. (AFTER CASING):

LOG ID:
013242

WELL TYPE
Industrial High Capacity Well

DRILL DATE: 1954/06/01

TOWNSHIP RANGE SECTION

ELEVATION: 528FT

DRILL DEPTH: 470FT

51N 2E 33

DEPTH TO BED: 10FT

UTM X UTM Y
691,334.99 4,335,338.33
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: #1 CANNON; 1 MI S OF ELSBERRY ON HWY 79

S.W.L. (AFTER CASING): 68

LOG ID:
016898

WELL TYPE
Private Well

DRILL DATE: 1957/09/20

TOWNSHIP RANGE SECTION

ELEVATION: 530FT

DRILL DEPTH: 345FT

51N 2E 33

DEPTH TO BED: 10FT

UTM X UTM Y
690,582.96 4,334,383.32
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: YIELD - 15 GPM @ 210'

S.W.L. (AFTER CASING): 80

LINCOLN